

GENERAL**Operational Hours****ATS Hours / AD OPS Hours:** HJ**Airport Information**

RFF: CAT 5
Fuel: Not Published
LCN: RWY 06/24: 40
Customs: Not Published

Warnings

Birds in vicinity of AD.

ARRIVAL**Speed**

MAX IAS 250KT below FL100 in airspace classes D and G.

DEPARTURE**Take-off Minima**

RWY		06/24	
A,B,C	ft - m/km	0-500V	HJ only
D		Not applicable	-

Speed

MAX IAS 250KT below FL100 in airspace classes D and G.

Departure Procedure**Start-up:** Clearance should be REQ 5-10min prior to start-up.

N/A-OIZJ


AFC

AFC

AFC

AFC

2-10



Landing RWY system:

06

2340 x 45

THR 32 (1hPa) / TDZ --- (---%)	0.0%
---------------------------------------	------

45 x 2340

0.0% TDZ --- (---%) / **THR 32** (1hPa)

24

TRL ATC
TA 4000

Effective 26-APR-2018

19-APR-2018

N/A-OIZJ

Iran Jask

AGC

AGC

AGC

Jask Iran

AGC

3-20

E057°47.5'

E057°48'

E057°48.5'

No Frequencies published

No official airport sketch available.
Contents based on best available source.
Use at own discretion.

RWY	TORA	TODA	ASDA
06	2340	2492	2492
24	2340	2643	2390

24

240°
32

152

2340 X 45

ARP
N 25 39.2
E 057 48.0


06

060°
32

50

VAR 2° E
MAG UP

AD ELEV 32



Changes: new

Effective 26-APR-2018

19-APR-2018

N/A-OIZJ

Iran Jask

NIL

SIDs


SID

SID

Jask Iran

NIL

SIDs



Changes: new

MELMI 1J / MELMI 1K

RWYs 06 (060°) / 24 (240°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 06	
MELMI 1K	070° to MNM 1500 - RT direct JSK - QDR 340° JSK to MELMI	JSK MNM 3000
	Runway 24	
MELMI 1J	240° to MNM 1500 - RT intercept QDR 340° JSK to MELMI	

Effective 26-APR-2018

19-APR-2018

N/A-OIZJ

Iran Jask

NIL

STAR

STAR


STAR

Jask Iran

NIL

STAR

6-10



Changes: new