

GENERAL**Operational Hours****ATS Hours:** O/R**AD ADMIN Hours:** 0430-1030‡**Airport Information****RFF:** CAT 5**Fuel:** Not AVBL**PCN:** RWY 13/31: 20/F/B/Y/T**Customs:** Not AVBL**Operation****Traffic Note**

PPR for non-SKED flights at last 24HRs before EOBT from Zahedan AD.

ARRIVAL**Arrival Procedure****VFR Traffic Pattern**

- For heavy ACFT 5500ft.
- For other ACFT 5000ft.

DEPARTURE**Take-off Minima**

RWY		13/31	
All ACFT	ft -m/km	0 - 500v	HJ only

Departure Procedure**Start-up:** Clearance should be REQ 5-10min prior to start-up.**De-Icing**

Not AVBL

N/A-OIZS


AFC

AFC

AFC

AFC

2-10



126.775 0/R

Landing RWY system:

13

2165 x 30

THR 3928 (134hPa) / TDZ --- (---%)	0.0%
---	------

30 x 2165

31

0.0% TDZ --- (---%) / **THR 3930** (134hPa)

NDB + DME
415 SRN
... ..
D 114.1 SRN
... ..
D8 SRN 6500
D6 SRN 5880

TRL 100
TA 8000

© Lido 2018

Effective 21-JUN-2018

14-JUN-2018

N/A-OIZS

Iran Saravan

AGC

AGC

AGC


Saravan Iran

AGC

3-20

Info 126.775 0/R

RWY	TORA	ASDA	TODA
13	2165	2249	2849
31	2165	2262	2262



Changes: ARP

28-DEC-2017

N/A-OIZS

Iran Saravan

NIL

SIDs

SID


SID

Saravan Iran

NIL

SIDs

4-10



Changes: new

© Lido 2017

LOXOL 1E / LOXOL 1F

RWYs 13 (131°) / 31 (311°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 13	
LOXOL 1F 126.775	intercept QDR 135 SRN - at MNM 7000 LT direct SRN - QDR 283 SRN to LOXOL	SRN MNM 8000
	Runway 31	
LOXOL 1E 126.775	intercept QDR 300 SRN - at MNM 7000 LT - intercept QDR 283 SRN to LOXOL	

28-DEC-2017

N/A-OIZS

6-10

Iran Saravan

NIL

STARs


STAR

STAR


Saravan Iran

NIL

STARs



Changes: new




30 x 2165				<div>31</div>		4	5	7	8			3.00° D SRN 319° RWY 311°
0.0% TDZ --- (---%) / THR 3930 (134hPa)						5240	5560	6200	6500			
319° to SRN QDR 300 SRN at MNN 5200 LT direct SRN QDR 139 SRN to D16 SRN climb 7500				SRN D1		D6		D8		D11 SRN		
				<div><div>M</div></div>		<div><div>5880</div><div>F</div></div>		<div><div>319°</div><div>D</div></div>		<div><div>IF</div></div>		<div>6500</div>
						MDA		5600				
GS	120	140	160									
D6 SRN	640	740	850									
-MAPt	2:30	2:09	1:53									
				0	1	5	6	10	DIST to THR			
31		NDB DME SRN HJ only								Circling HJ only ¹⁾		
C	ft - m/km ft	970 - 4.5V 4900								1150 - 4.5V 5080		
D	ft - m/km ft	Not published								Not published		

1) BTN BRG 320°-120° of AD only


Changes: new

7-20

NDB 31



30 x 2165		31	4	5	6	7	7.6		3.00° D SRN 317° RWY 311°
0.0%	TDZ --- (---%) / THR 3930 (134hPa)		5240	5560	5880	6200	6400		



31		NDB HJ only					Circling HJ only ¹⁾
C	ft - m/km ft	1020 - 4.9V 4950					1150 - 4.9V 5080
D	ft - m/km ft	Not published					Not published

1) BTN BRG 320°-120° of AD only

Changes: new