

12-JUL-2018

**BQN-TJBQ**

1-10

**A01****A01****GENERAL****Operational Hours****ATS Hours:** TWR SUN-SAT 1100-0100 $\pm$ , other times by NOTAM**AD OPS Hours:** Attended continuously**Airport Information****RFF:** FAA Index B / CAT 6**PCN:** RWY 08/26: 23/R/B/W/T**Customs:** O/R**Operation****Traffic Note**

PPR 24HR for unscheduled ACFT with more than 30 PAX seats.

**RWY Restriction**

180° turns prohibited for large and heavy jets.

**TWY Restrictions**

TWY A CLSD between TWY C and D.

TWY A CLSD 305m / 1000ft west of TWY C.

**Noise Abatement Procedures**

In force for all heavy ACFT, for details contact AD authority.

**Warnings**

RWY pavement has numerous cracks and ponding on the mid portion of RWY.

No center lines on RWY.

**BQN DME** unusable:

- R078-R095 beyond 26NM below 3000ft.
- R176-R195 beyond 21NM below 3600ft.
- R236-R258 beyond 26NM below 2600ft.

**MAZ VOR/DME** unusable:

- R000-R085 below 2200ft.
- R000-R080 beyond 22NM.
- R080-R085 beyond 22NM below 5000ft.
- R110-R180 below 3500ft.
- R110-R180 beyond 6NM below 9000ft.
- R330-R000 below 3500ft.
- R330-R000 beyond 22NM.

**ARRIVAL****Speed**

MAX IAS 250KT below 10000ft.

**Communication****COM Failure:** See CRAR.

**DEPARTURE****Take-off Minima**

RWY		08/26	
1+2 ENG	ft - ft/SM	0 - 1.0V	-
3+4 ENG		0 - 0.5V	-

**Speed**

MAX IAS 250KT below 10000ft.

**Communication****COM Failure:** See CRAR.**ATC, Slot, Clearance**

When TWR CLSD, CLR DLV provided by SAN JUAN CENTER on 124.350.

12-JUL-2018  
BQN-TJBQ

Puerto Rico **Aguadilla** Rafael Hernandez


AGC  
AFC

AFC

AFC


Rafael Hernandez **Aguadilla** Puerto Rico

AGC  
AFC



ATIS	118.325
AWOS 3	118.325 1100-0100
San Juan APP	124.350
San Juan DEP	124.350
TWR	124.950 Sun-Sat 1100-0100 other times by NOTAM
CTAF	124.950
GND	120.875
DLV	120.875

Landing RWY system:



**12-JUL-2018**  
**BQN-TJBQ**

Puerto Rico **Aguadilla** Rafael Hernandez

# AGC


# AGC

# AGC

Rafael Hernandez **Aguadilla** Puerto Rico

# AGC

<b>ATIS</b>	118.325	
<b>AWOS 3</b>	118.352	1100-0100
<b>TWR</b>	124.950	Sun-Sat 1100-0100 other times by NOTAM
<b>CTAF</b>	124.950	
<b>GND</b>	120.875	
<b>DLV</b>	120.875	



Changes: QFU

© Lido 2018


**BQN-TJBQ**

5-10

**Obstacle Departure**

Obstacle Departure	
RWY	Routing
08	Climb on HDG between 262° CW 158° from DER.
26	Climb on a HDG between 230° CW to 082° from DER.
RWY	Notes
08	Vehicles on roadway beginning 1489ft from DER, left and right of centerline, up to 15ft AGL/242ft MSL.
26	Vehicles on roadway beginning 751ft from DER, left and right of centerline, up to 17ft AGL/275ft MSL. Trees beginning 939ft from DER, 447ft right of centerline, up to 100ft AGL/343ft MSL.

## RNAV (GPS) 08






© Lido 2018

**BQN-TJBQ**

7-20

## RNAV (GPS) 26



<b>26</b>		<b>RNAV GPS</b> LNAV <sup>1)</sup>				<b>Circling <sup>1) 2)</sup></b> <b>TERPS</b>
C	ft - ft/SM ft	410 - 1.25V <b>620</b>				600 - 1.5V <b>840</b>
D	ft - ft/SM ft	410 - 1.25V <b>620</b>				700 - 2.25V <b>940</b>


1) Use with Aguadilla (TJBQ) QNH only  
2) N of AD only

12-JUL-2018


**BQN-TJBQ**

7-30

**VOR DME 08**



2.95°			7.3	6	5	4		83.0°	60 HL
<b>D BQN</b>							<b>08</b>	119	3448 x 61
<b>085°</b>									
RWY 082°			1900	1490	1180	860		THR 235 (9hPa) / <b>TDZ 237</b> (---%)	-0.4%



<b>08</b>	<b>VOR DME</b> 1)				<b>Circling</b> 1) 2)
					<b>TERPS</b>
C	ft - ft/SM ft	490 - 1.5V <b>720</b>			600 - 1.5V <b>840</b>
D	ft - ft/SM ft	490 - 1.5V <b>720</b>			700 - 2.25V <b>940</b>


1) Use with Aguadilla (TJBQ) QNH only  
2) N of AD only










**BQN-TJBQ**

**7-40**

**VOR 08**



3.00°		5.3	5	4	3	2			60 HL
RW08 085°		2000	1900	1580	1260	930			
RWY 082°									




<b>08</b>		<b>VOR</b> 1)					<b>Circling</b> <b>TERPS</b> 1) 2)
C	ft - ft/SM ft	590 - 1.5V <b>820</b>					600 - 1.5V <b>840</b>
D	ft - ft/SM ft	590 - 1.75V <b>820</b>					700 - 2.25V <b>940</b>

1) Use with Aguadilla (TJBQ) QNH only  
2) N of AD only

Changes: APL, QFU, OBST

AMDT 6C

**VOR 26**



© Lido 2018