

**ABC-LEAB****1-10****AOI****AOI****GENERAL****Operational Hours****ATS Hours:** H24**AD Hours:** 0800-1330‡, other times PPR 96HR in advance of the day of arrival**Airport Information****RFF:** CAT 5**Fuel:** 0900-1300‡, other times PN 24HR**PCN:** RWY 09/27: 94/F/A/W/T**Customs:** REQ with 48HR in advance**Operation****Traffic Note**

PPR 48HR mandatory for CIV ACFT above 15t / 33070lbs.

Final LDG CLR only when FPL with DEST LEAB approved.

**Standard Taxi Routes**

ARR RWY 27: Exit RWY via TWY B, R1, A, F and E5 APN.

DEP RWY 09: Proceed via TWY F, A, R1 and B.

**APU**

Use of APU restricted to 2min after on-block and 5min before off-block time.

Exceptions:

- if stand is not equipped with AC power (400Hz) and mobile GPU not AVBL.
- if air condition is required and no ACU AVBL.

**ARRIVAL****Communication****COM Failure****MISAP ILS/DME, LOC/DME RWY 09**

Climb direct until D2 VAB; turn right (MAX IAS 200KT) heading 270° until 6000ft. Turn right to intercept R295 VAB/ R296 TAB to BAGAX.

**MISAP VOR/DME RWY 09**

Climb direct until D2 VAB; turn right (MAX IAS 200KT) heading 270° until 6000ft. Turn right to intercept R295 VAB to BAGAX.

**MISAP ILS/DME, LOC/DME RWY 27**

Climb direct until 6000ft. Turn right to intercept R295 VAB/ R296 TAB to BAGAX.

**MISAP VOR/DME RWY 27**

Climb direct until 6000ft. Turn right to intercept R295 VAB to BAGAX.

**ARRIVAL****Arrival Procedure****| VFR Traffic Pattern:** RWY 27 right-hand circuit.**Non-standard GP Intercept Position on RWY 09**

GP intercepts RWY 09 at 320m / 1049ft after landing threshold.

Remaining DIST beyond GP is 2380m / 7809ft.

## DEPARTURE

## Take-off Minima

RWY		09/27	
All ACFT	ft - m/km	0 - 400R/400V	-

## De-Icing

Not AVBL

**Effective 21-JUN-2018**

14-JUN-2018

ABC-LEAB

2-10

# Spain Albacete Albacete AB


AGC


AFC

Albacete AB **Albacete** Spain

AGC

AFC





14-JUN-2018

ABC-LEAB


# Spain Albacete Albacete AB

Albacete AB **Albacete** Spain

**SIDs**

SI

-10



**ABC-LEAB****5-10****SIDs****SOSAV 2B / SOSAV 2A**

RWYs 09 (088°) / 27 (268°)

	GS	120	150	180	210	240	270
	4.0%	ft/MIN	500	700	800	900	1000

DESIGNATOR	ROUTING	ALTITUDES
	<b>Runway 09</b>	
<b>SOSAV 2B</b> 4.0% to 3500 <b>118.725</b>	at D3 <b>VAB LT</b> HDG 006° intercept R042 <b>VAB</b> to SOSAV	D3 <b>VAB MNM 2800</b>
	<b>Runway 27</b>	
<b>SOSAV 2A</b> <b>118.725</b>	at D6 <b>VAB RT</b> follow D8 <b>VAB</b> Arc - <b>LT</b> intercept R042 <b>VAB</b> to SOSAV	D6 <b>VAB MNM 3300</b> D8 <b>VAB</b> Arc MAX 4000


14-JUN-2018

Spain Albacete Albacete AB

ABC-LEAB

7-10

ILS DME 09



Changes: TDZE, OBST

14-JUN-2018


Spain Albacete Albacete AB

IAC

ABC-LEAB

7-20

ILS DME 27



Changes: TDZE, OBST

14-JUN-2018


Spain Albacete Albacete AB

IAC

ABC-LEAB

7-30

LOC DME 09



14-JUN-2018


Spain Albacete Albacete AB

IAC

ABC-LEAB

7-40

LOC DME 27



Changes: TDZE, OBST


14-JUN-2018

## Spain Albacete Albacete AB

ABC-LEAB

7-50

VOR DME 09



## Changes: TDZE, OBST

14-JUN-2018


Spain Albacete Albacete AB

ABC-LEAB

7-60

VOR DME 27

IAC



Changes: TDZE, OBST

14-JUN-2018

ABC-LEAB

Spain **Albacete** Albacete AB

Albacete AB **Albacete** Spain

The MRC logo consists of the letters "MRC" in a bold, black, sans-serif font. Above the letter "M", there is a small rectangular box containing the letters "NIL" in a white, bold, sans-serif font.

MRC

MRC  
MDO

Albacete AB **Albacete** Spain

## Changes: OBST