GENERAL

Operational Hours

ATS Hours: Uncontrolled AD, CTAF

AD OPS Hours: Not published

Airport Information

RFF: Not published
Fuel: 2130-0745‡, 7 days PN
PCN: RWY 12/30: 25/F/B/1035 (150 PSI)/T
Customs: Not published

Operation

Traffic Note
PPR is required for this AD.

Transponder Operation
For details on Transponder Mode S Operation see CRAR Australia.

RWY Restriction
ACFT above 5.7t / 12500lbs must use nodes for 180° turns.

TWY Restriction
TWY B AVBL up to code letter B ACFT.

Warnings

Gas vent 600m / 1968ft south of RWY THR 30. See NOTAM.

ACFT are to avoid overflying the gas treatment plant 800m / 2625ft south of RWY 30 THR.

Birds in vicinity of AD.

ARRIVAL

Communication

COM Failure: See CRAR Australia.

Arrival Procedure

Noise Abatement Procedure: See CRAR Australia.

VFR Traffic Pattern: RWY 30 right-hand circuit.

DEPARTURE

Take-off Minima

RWY		12/30	
Multi ENG	ft - m/km	0 - 800v	-
other		c300 - 2.0v	-

DEPARTURE

Communication

COM Failure: See CRAR Australia.

Departure Procedure

Noise Abatement Procedure: See CRAR Australia.

Australia **Moomba** AGC **AFC**

AFC AFC

Moomba Australia AGC **AFC**



Melbourne Center	119.500	On ground
CTAF	126.700	
Unicom	126.700	
ARCAL	120.600	ARCAL PAL

Landing RWY system:

12 — 3.0° — 90 L — 1718 x 30

THR 143 (5hPa) / TDZ --- (---%) -0.3%

90 L — 30 x 1718 — 3.0° — 30

+0.3% TDZ --- (---%) / **THR 124** (5hPa)

Changes: Completely revised



Changes: FREQ, Declared distances

22-DEC-2016

MOO-YOOM

7-10

RNAV (GNSS) Z 12



3.00°		5.1	4	3	2	1
OOMWM						
120°		2100	*1760*	*1440*	*1120*	*800*
RWY 119°						

12

3.0° 90 L

1718 x 30

THR 143 (5hPa) / TDZ --- (---%) -0.3%



GS	120	140	160
OOMWF	*640*	*740*	*850*
-MAPt	*2:30*	*2:09*	*1:52*

12		**RNAV GNSS** LNAV 1)					**Circling** N of RWY only 1)
C	ft - m/km ft	540 - 3.0V **680**					700 - 4.0V **840**
D	ft - m/km ft	Not applicable					Not applicable

1) Minima may be reduced by 100ft with actual QNH

Changes: new

22-DEC-2016

MOO-YOOM

7-30

NDB B Letdown



12/30		Letdown NDB 1)					Circling N of RWY only 1)
C	ft - m/km ft	700 - 7.5V **840**					700 - 7.5V **840**
D	ft - m/km ft	Not applicable					Not applicable

1) Minima may be reduced by 100ft with actual QNH

Changes: new