

GENERAL			
Operational Hours			
ATS Hours: Uncontrolled AD, CTAF AD OPS Hours: Not published			
Airport Information			
RFF:	Not published		
Fuel:	H24		
PCN:	RWY 18/36: 32/F/B/940 (136PSI)/T		
Customs:	Not published		
Operation			
Transponder Operation For details on Transponder Mode S Operation see CRAR Australia.			
TWY Restrictions ACFT above MTOM 5.7t / 12566lbs limited to TWY A and B.			
Standard Taxi Routes ACFT entering main APN shall use TWY B and depart via TWY A.			
Warnings			
Birds and animals in vicinity of AD.			
ARRIVAL			
Communication			
COM Failure: See CRAR Australia.			
Arrival Procedure			
Noise Abatement Procedures: See CRAR Australia.			
DEPARTURE			
Take-off Minima			
RWY		18/36	
Multi ENG	ft - m/km	0 - 550V	REDL+RCLM, HJ only
other		0 - 800V	-
		c300 - 2.0V	-
Communication			
COM Failure: See CRAR Australia.			
Departure Procedure			
Noise Abatement Procedure: See CRAR Australia.			

22-DEC-2016

NAA-YNBR

2-10

Australia Narrabri


AGC
AFC

AFC

AFC

Narrabri Australia

AGC
AFC



AWIS 122.525
Brisbane Center 127.100 On ground
CTAF 126.700 ARCAL PPL

Landing RWY system:

18 3.0° 1765 x 30 60 L

THR 739 (27hPa) / TDZ 739 (---%) -0.4%


36 3.0° 30 x 1765 60 L

+0.4% TDZ 717 (---%) / THR 717 (26hPa)


TBL 110
TA 10000

Changes: new

Changes: new




RNAV (GNSS) Z 36



Changes: new

NDB 36



© Lido 2016

Changes: new