

GENERAL**ATS Hours**

HJ

Airport Information**RFF:** CAT 6**Fuel:** HO**LCN:** RWY 18R/36L: 45**Customs:** HO**Operation****RWY Restriction**

RWY 36R/18L use as TWY only.

Taxi/Parking

Follow-me O/R.

Unless guided by follow-me, no short-cuts are permitted and permanent radio contact must be maintained with ATC during the entire taxiing manoeuvre.

Taxi only with MNM ENG speed.

Marshaller mandatory.

Warnings

Parallel TWY marked and lighted as RWY 18L/36R.

First 1770m RWY 36L are visible from touchdown point.

End lights are visible 1220m from RWY 36L end.

Birds in vicinity of AD.

DEPARTURE**Take-off Minima**

RWY		18R/36L	
All ACFT	ft - m/km	0 - 400v	HJ only
		0 - 800v	HN

GPA-LGRX

AGC
AFC

AFC




AFC

AFC

▲

AFC



120.650 HJ

120.650 HJ
121.125 HJ
122.100 HJ
125.250 HJ

120.650	HJ
121.125	HJ
122.100	HJ
125.250	HJ
122.100	HJ

120.650	HJ
121.125	HJ
122.100	HJ
125.250	HJ
122.100	HJ
3.0°	*****
45	*****

120.650	HJ
121.125	HJ
122.100	HJ
125.250	HJ
122.100	HJ
33.0°	
45	
----- (-----%)	

120.650	HJ
121.125	HJ
122.100	HJ
125.250	HJ
122.100	HJ
33.0°	
45	
----- (-----%)	

120.650	HJ
121.125	HJ
122.100	HJ
125.250	HJ
122.100	HJ

3.0°


45

-----(%)

7 200

HR 46 (2hPa)

Changes: Nil



16-AUG-2018
GPA-LGRX

Greece **Araxos**

SIDs RWY 36L

SIDs RWY 18R


SID

SID

Araxos Greece

SIDs RWY 36L

SIDs RWY 18R



Changes: OBST

© Lido 2018

16-AUG-2018
GPA-LGRX


4-20

Greece **Araxos**
SIDs RWY 36L

SID

SID

Araxos Greece
SIDs RWY 36L



Changes: OBST

ENESI 3L / GARTA 3L / IXONI 3L / KORINTHOS 3L / NEMES 4L / SOTEG 2L
RWY 18R (179°)

	GS	120	150	180	210	240	270
3.6%	ft/MIN	500	600	700	800	900	1000
6.9%	ft/MIN	900	1100	1300	1500	1700	1900

DESIGNATOR	ROUTING	ALTITUDES
ENESI 3L 6.9% to FL160 120.650 ①	R179 ARA - at D12 ARA RT (MAX 210KT, MNM 15° bank) direct ARA - LT (MAX 230KT, MNM 25° bank) 231° intercept R276 ARA (AWY N604) to ENESI	D10 / R179 ARA MNM 3500 ARA MNM 7000 D25 / R276 ARA MNM FL160
GARTA 3L 6.9% to 7000 3.6% to FL100 120.650 ①	R179 ARA - at D12 ARA RT (MAX 210KT, MNM 15° bank) direct ARA - R333 ARA (AWY V60) to GARTA	D10 / R179 ARA MNM 3500 ARA MNM 7000 D14 / R333 ARA MNM FL100
IXONI 3L 6.9% to 7000 3.6% to FL100 120.650 ①	R179 ARA - at D12 ARA RT (MAX 210KT, MNM 15° bank) direct ARA - R072 ARA (AWY J52) to IXONI	D10 / R179 ARA MNM 3500 ARA MNM 7000 D10 / R072 ARA MNM FL90 D18.1 / R072 ARA MNM FL100
KORINTHOS 3L KOR 3L 6.9% to 7000 3.6% to FL100 120.650 ①	R179 ARA - at D12 ARA RT (MAX 210KT, MNM 15° bank) direct ARA - RT (MAX 230KT, MNM 25° bank) 141° intercept R096 ARA (AWY N604) to KOR	D10 / R179 ARA MNM 3500 ARA MNM 7000 D14 / R096 ARA MNM FL100
NEMES 4L 6.9% to 7000 3.6% to FL140 120.650 ①	R179 ARA - at D12 ARA RT (MAX 210KT, MNM 15° bank) direct ARA - RT (MAX 230KT, MNM 25° bank) 157° intercept R112 ARA (AWY B34) to NEMES	D10 / R179 ARA MNM 3500 ARA MNM 7000 D14 / R112 ARA MNM FL100 D26.4 / R112 ARA MNM FL140
SOTEG 2L 6.9% to 7000 120.650 ①	R179 ARA - at D12 ARA RT (MAX 210KT, MNM 15° bank) direct ARA - LT (MAX 230KT, MNM 25° bank) 270° intercept R315 ARA (AWY A14) to SOTEG	D10 / R179 ARA MNM 3500 ARA MNM 7000

① Visual climb up to 200ft is required.

26-MAR-2015

Greece **Araxos****GPA-LGRX**

5-20

SIDs RWY 18R**SIDPT****TRIPOLIS 3L**

RWY 18R (179°)

	GS	120	150	180	210	240	270
3.6%	ft/MIN	500	600	700	800	900	1000
6.9%	ft/MIN	900	1100	1300	1500	1700	1900

DESIGNATOR	ROUTING	ALTITUDES
TRIPOLIS 3L TRL 3L 6.9% to 7000 3.6% to FL100 120.650 ①	R179 ARA - at D12 ARA RT (MAX 210KT, MNM 15° bank) direct ARA - RT (MAX 230KT, MNM 25° bank) 177° intercept R132 ARA (AWY A14) to TRL	D10 / R179 ARA MNM 3500 ARA MNM 7000 D14 / R132 ARA MNM FL100

① Visual climb up to 200ft is required.

Changes: Reprint

GPA-LGRX

5-30

SIDs RWY 36L

ENESI 3M / GARTA 3M / IXONI 3M / KORINTHOS 3M / NEMES 4M / SOTEG 2M / TRL 3M
RWY 36L (359°)

	GS	120	150	180	210	240	270
5.3%	ft/MIN	700	900	1000	1200	1300	1500

DESIGNATOR	ROUTING	ALTITUDES
ENESI 3M 5.3% to FL160 120.650 ①	at MNM 2300 RT (MAX 210KT, MNM 15° bank) direct ARA - RT (MAX 230KT, MNM 25° bank) intercept R276 ARA (AWY N604) to ENESI	ARA MNM 6000 D25 / R276 ARA MNM FL160
GARTA 3M 5.3% to FL100 120.650 ①	at MNM 2300 RT (MAX 210KT, MNM 15° bank) direct ARA - RT (MAX 230KT, MNM 25° bank) 018° intercept R333 ARA (AWY V60) to GARTA	ARA MNM 6000 D14 / R333 ARA MNM FL100
IXONI 3M 5.3% to FL100 120.650 ①	at MNM 2300 LT (MAX 210KT, MNM 15° bank) direct ARA - LT (MAX 230KT, MNM 25° bank) 027° intercept R072 ARA (AWY J52) to IXONI	ARA MNM 6000 D10 / R072 ARA MNM FL90 D18.1 / R072 ARA MNM FL100
KORINTHOS 3M KOR 3M 5.3% to FL100 120.650 ①	at MNM 2300 LT (MAX 210KT, MNM 15° bank) direct ARA - LT (MAX 230KT, MNM 25° bank) intercept R096 (AWY N604) ARA to KOR	ARA MNM 6000 D14 / R096 ARA MNM FL100
NEMES 4M 5.3% to FL140 120.650 ①	at MNM 2300 LT (MAX 210KT, MNM 15° bank) direct ARA - LT (MAX 230KT, MNM 25° bank) intercept R112 ARA (AWY B34) to NEMES	ARA MNM 6000 D14 / R112 ARA MNM FL100 D26.4/ R112 ARA MNM FL140
SOTEG 2M 5.3% to 7000 120.650 ①	at MNM 2300 RT (MAX 210KT, MNM 15° bank) direct ARA - RT (MAX 230KT, MNM 25° bank) 348° intercept R315 ARA (AWY A14) to SOTEG	ARA MNM 6000 D14 / R315 ARA MNM 7000
TRL 3M 5.3% to FL100 120.650 ①	at MNM 2300 LT (MAX 210KT, MNM 15° bank) direct ARA - R132 ARA (AWY A14) to TRL	ARA MNM 6000 D14 / R132 ARA MNM FL100

① Visual climb up to 300ft is required.

16-AUG-2018
GPA-LGRX

6-10


Greece **Araxos**

STARs

STAR

STAR

Araxos Greece
 NIL
STARs




Changes: OBST

© 1994-2010

GPA-LGRX

VOR 18R

7-10



Changes: APL, OBST

© Lido 2018



GPA-LGRX

Greece Araxos

IAC

7-20

VOR A



Changes: APL, chart title, MIN, OBST

© Lido 2018