

01-DEC-2016

ALY-HEAX

1-10

AOI**AOI****GENERAL****Operational Hours****ATS Hours:** H24**AD ADMIN Hours:** 0600-1400**Airport Information****RFF:** CAT 7**PCN:** RWY 04/22: 46/F/C/X/T**Operation****RWY Restrictions**

MTOW of 72t / 158733lbs or below is recommended.

TWY Restrictions

TWY W width 18m / 59ft.

TWY W for HEL only.

Taxi/Parking: Follow-me and Marshaller be REQ via TWR.**Warnings****Fuel Dumping Area:** Located not exceeding 10NM from AXD VOR/DME on R160 at MNM 6000ft.**ARRIVAL****Arrival Procedure****Arrival Notes**


From N maintain FL100 until over NOZ VOR.

From S via A1/A727 do not descend below FL100 before passing MENKU.


DEPARTURE**Take-off Minima**

RWY		04/22	
All ACFT	ft - m/km	0 - 400R/400v	HJ only
		0 - 800R/800v	HN

2-10




APP	120.300
TWR	120.300
Landing RWY system:	
04	2201 x 45
HL-N	THR -8 (OhPa) / TDZ --- (---%)
HL-N	THR -9 (OhPa) / TDZ --- (---%)
22	2201 x 45
HL-N	THR -8 (OhPa) / TDZ --- (---%)
HL-N	THR -9 (OhPa) / TDZ --- (---%)




ALY-HEAX

7-10

RNP 04



3.00° RW04	6.1	5	4	3	2	<div> <div>04</div> <div>HL-N</div> </div>	<div> <div>3.0°</div> <div>60 HL</div> </div>
	2000	1640	1320	1000	680		<div> <div>2201 x 45</div> <div>396</div> <div>3.0°</div> <div>THR -8 (QhPa) / TDZ --- (---%)</div> <div>0.0%</div> </div>





04		RNP LNAV				Circling
C	ft - m/km ft	570 - 2.4 560				Not published
D	ft - m/km ft	570 - 2.4 560				Not published

ALY-HEAX

7-20

RNP 22




22	RNP LNAV	Circling
C	ft - m/km ft	570 - 2.4 560
D	ft - m/km ft	570 - 2.4 560


ALY-HEAX

7-30

VOR 04



D NOZ	6.2	6	5	4	3
037°					
RWY 041°	1700	1630	1320	1000	680



04		VOR DME					Circling
C	ft - m/km ft	570 - 2.4 560					850 - 2.4V 840
D	ft - m/km ft	570 - 2.4 560					850 - 3.6V 840