

GENERAL**Operational Hours****ATS Hours:** H24**AD ADMIN Hours:** MON- FRI 0830-1630±, Ramadan: 0900-1430±, Permanence: H24.**Airport Information****RFF:** CAT 8**PCN:** RWY 09/27: 55/F/B/W/T**Operation****RWY Restriction**

ACFT heavier than 40t / 88185lbs: 180°-turn on turning pad at RWY end only.

TWY Restriction

TWY L width 7.5m / 25ft.

TWY L AVBL for use by day only for light ACFT.

Parking

Entry / exit of heavy ACFT to / from stand J must be done only with TWY N.

Warnings

The RWY strips capacity and RWY end safety area are non-compliant.

Overflying the City below FL55 prohibited except for LDG/TKOF.

RWY 27: Expect wind shear.

High terrain S of AD.

DEPARTURE**Take-off Minima**

RWY		09/27	
All ACFT	ft - m/km	0 - 400V	-

Departure procedure**Start-up / Push-back**

Contact TWR 10MIN before EOBT.

Nose-in stands: ENG start-up in stand only in case of APU failure, otherwise during push-back.

Anti- collision lights must be turned on during start-up and push-back.

01-FEB-2018
FEZ-GMFF

Morocco Fes Saiss Intl

AGC
AFC


AFC

AFC

Saiss Intl Fes Morocco


AGC
AFC

2-10



D-ATIS 127.800 0600-0000
APP 121.400
TWR 118.600

Landing RWY system:



Changes: Nil

01-FEB-2018
FEZ-GMFF

Morocco Fes Saiss Intl

Saiss Intl Fes Morocco


3-20

AGC

AGC

AGC

AGC



Changes: WIP, Note

01-FEB-2018
FEZ-GMFF

3-30

Morocco Fes Saiss Intl
NIL
APC


APC

APC

Saiss Intl Fes Morocco
NIL
APC

COORDINATES		
J	N33 55.8	W004 59.1
R1,R2	N33 55.8	W004 58.8
R3-R6	N33 55.8	W004 58.9
R7-R9	N33 55.8	W004 59.0
R10,R11	N33 55.8	W004 59.1
S1	N33 55.8	W004 58.6
S2,S3	N33 55.8	W004 58.7
S4	N33 55.8	W004 58.8

D-ATIS	127.800	0600-0000
TWR	118.600	



Changes: Note

09-MAR-2017


FEZ-GMFF

Morocco Fes Saiss Intl

IAC

7-10

ILS 27



60 HL

45 x 2979

221

3.0°

-0.3%

TDZ 1896

THR 1892 (67hPa)

HL-S

27

2

3

4

5

6

6.5

LOC 3.22°

D LFA

272°

RWY 271°

FES

D2.4

D3.6

D4

D5

D8

D8.9

D9.3

D12 FES

272°

at MNM 2550 RT

climb 4100

6300

R074

LFA

D1.3

D1.7

D2.7

3 MIN (DME U/S)

4100

D6.5

D6.9 LFA

D12 FES

Turn:

MAX

210KT

GS	120	140	160
D6.5 LFA	680	790	900
-MAPt	2:39	2:16	1:59

52

2450

2620

3000

GP 3.00°

272°

4100

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

27	Cat 1 DME 1)	LOC DME				Circling
C	ft - m/km ft	250 - 800 2140	410 - 1.5 2300			Not published
D	ft - m/km ft	260 - 800 2150	410 - 1.5 2300			Not published

1) With EVS 550m

Changes: APL, ALT, MISAP text

© Lido 2017

09-MAR-2017


FEZ-GMFF

7-20

Morocco Fes Saiss Intl


ILS or LOC + LCTR 27

IAC



Changes: APL, ALT, MISAP text

VOR DME 09



VOR DME 27

