

19-JUL-2018

GHB-MYEM


1-10

AOI**A01****GENERAL****Operational Hours****ATS Hours:** H24 (Nassau ATS)**AD ADMIN Hours:** SR-SS

Other times O/R


Airport Information**RFF:** CAT 4 (with enhanced performance)**Fuel:** Not AVBL**PCN:** RWY 15/33: 30/F/B/X/U**Customs:** 1300-0000†, other times O/R**DEPARTURE****Take-off Minima**


RWY		15/33	
1+2 ENG	ft - m/km	0 - 1.6V	HJ only
3+4 ENG		0 - 800V	



AWOS	118.200 Hz
Nassau APP	121.000
Unicom	122.800 Hz
Nassau RDO	128.000
	124.200

Landing RWY system:





Changes: Editorial

19-JUL-2018
GHB-MYEM

Bahamas Eleuthera Governors Harbour

NIL

SID

SID


Governors Harbour Eleuthera Bahamas

NIL

CONUZ 1 RNAV

4-10

CONUZ 1 RNAV



Changes: Editorial

19-JUL-2018

GHB-MYEM

5-10

CONUZ 1 RNAV

CONUZ 1

RWY 15 (153°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 15	
CONUZ 1 121.000 ①	DCT <u>KALIC</u> - CONUZ [K210-]	KALIC MNM 640 CONUZ MNM 3000
	TRANSITION	
	HEKOP CONUZ - GUDVE - ZARAR - HEKOP	CONUZ MNM 3000
	ZUTUN CONUZ - INURE - ZUTUN	CONUZ MNM 3000

① Close-in obstacles: 73ft tree, 476ft from DER, 478ft left of centerline; 55ft tree, 171ft from DER, 216ft left of centerline; 148ft tree, 2982ft from DER, 982ft left of centerline; 64ft electric pole, 490ft from DER, 529ft left of centerline; 65ft tree, 594ft from DER, 400ft left of centerline; 119ft building, 2645ft from DER, 1104ft left of centerline.


Changes: Routing, Note

19-JUL-2018


GHB-MYEM

7-10

RNAV (GNSS) 15



3.10° RW15	6.8	6	4	3	2	15	83.2° 304 2145 x 46	61 ML
	2300	2040	1380	1060	730	ML	THR 14 (1hPa) / TDZ 14 (---%)	0.0%



15	RNAV GNSS LNAV HJ only ¹⁾					Circling HJ only ¹⁾
C	ft - m/km ft 400	390 - 2.8V				600 - 3.7V 630
D	ft - m/km ft 400	390 - 3.2V				700 - 4.6V 730

1) Use with Governor's Harbour (MYEM) QNH only


Changes: APL, Editorial

19-JUL-2018

GHB-MYEM

7-20

RNAV (GNSS) 33



61 ML
46 x 2449
.....


0.0% TDZ 15 (---%) / THR 15 (1hPa)

33

2	3	4	6	6.8	3.10°
730	1060	1390	2040	2300	RW33

LT direct NOSDE
climb 2300
No turn before MAPt

GS	120	140	160
SIVEE	660	770	880
-MAPt	2:30	2:09	1:52



33		RNAV GNSS LNAV HJ only ¹⁾	Circling HJ only ¹⁾	
C	ft - m/km ft	450 - 2.8V 460	600 - 3.7V 630	
D	ft - m/km ft	450 - 3.2V 460	700 - 4.6V 730	

1) Use with Governor's Harbour (MYEM) QNH only

Changes: APL, Editorial