

GENERAL**Operational Hours****ATS Hours:** Uncontrolled AD, CTAF**AD OPS Hours:** Not published**Airport Information****RFF:** Not published**Fuel:** H24**PCN:** RWY 04/22: 8/F/C/850 (123PSI)/T
RWY 11/29: 6/F/C/580 (84PSI)/T**Customs:** Not published**Operation****Transponder Operation**

For details on Transponder Mode S Operation see CRAR Australia.

Low Visibility Procedure

OPS in VIS less than 800m not supported.

ARRIVAL**Communication****COM Failure:** See CRAR Australia.**Arrival Procedure****Noise Abatement Procedures:** See CRAR Australia.**DEPARTURE****Take-off Minima**

RWY		04/22	
Multi ENG	ft - m/km	0 - 800V	-
other		c300 - 2.0V	-

RWY		11/29	
Multi ENG	ft - m/km	0 - 800V	HJ only
other		c300 - 2.0V	

Communication**COM Failure:** See CRAR Australia.**Departure Procedure****Noise Abatement Procedure:** See CRAR Australia.

02-NOV-2017

PKE-YPKS

Australia **Parques**

AGC

AFC

AFC


AFC

Parkes Australia




AFC

2-10



AWIS	128.550	
Melbourne Center	135.250	Circuit Area
CTAF	126.700	
ARCAI	119.600	ARCAI PAL

Landing RWY system:



Changes: Nil

Effective 09-NOV-2017

02-NOV-2017

PKE-YPKS

Australia Parkes

AGC

AGC


AGC

Parkes Australia

AGC

3-20

AWIS	128.550
CTAF	126.700
ARCAL	119.600 ARCAL PAL



Changes: TWY designators



02-MAR-2017

PKE-YPKS

Australia Parkes

IAC

RNAV (GNSS) 04



Changes: Completely revised

02-MAR-2017



PKE-YPKS

7-20

Australia Parkes

RNAV (GNSS) 22

IAC





22	RNAV GNSS LNAV 1)					Circling 1)
C	ft - m/km ft	670 - 3.8V 1730				1290 - 4.0V 2350
D	ft - m/km ft	Not applicable				Not applicable

1) Minima may be reduced by 100ft with actual QNH

Changes: MSA, WPT, Speed RESTR, MIN, HLDG, Profile, DIST



VOR A



© Lido 2017

Changes: ALT, Track, MIN, chart title

NDB A



All RWYs							Circling 1)
C	ft - m/km ft						1290 - 4.0V 2350
D	ft - m/km ft						Not applicable

1) Minima may be reduced by 100ft with actual QNH

Changes: ALT, Track, MIN, chart title