

GENERAL**ATS Hours**

See NOTAM

Airport Information**RFF:** CAT 6, CAT 7 AVBL O/R**Fuel:** See NOTAM**PCN:** RWY 01/19: 40/F/B/X/T**Customs:** O/R**Operation****Low Visibility Procedures**

LVP will be in force at latest when RVR below 550m or CEIL/vertical VIS below 200ft.

Only one ACFT is allowed on the manoeuvring area when LVP is applied.

During LVP ACFT must report ARR at stand.

TWY Restrictions

TWY A width 18m / 59ft.

TWY C width 15m / 49ft.

APU: Use of APU restricted to 15min before estimated time for taxiing.**ARRIVAL****Arrival Procedure****VFR Traffic Pattern:** RWY 19 right-hand circuit.**Warnings**

Downdraught may occur on final RWY 19 at wind directions between 120°-170° and 220°-270° and wind speeds exceeding 8KT.

DEPARTURE**Take-off Minima**

RWY		01/19	
All ACFT	ft - m/km	0 - 300R/300V	-

DEPARTURE**Departure Procedure****Noise Abatement Procedure**

RWY 19: Normally right-hand turn. When TFC situation so requires, left-hand turn not before D4.5.

Omnidirectional DEP PROC

RWY 01/19:

Climb straight ahead to MNM turning ALT 1100ft.

Continue climb to appropriate MSA.

ATC Slot, Clearance


ATC CLR will be delivered O/R prior to start-up. Transponder Code will be communicated during taxi.

De-Icing

AVBL.

12-OCT-2017
VXO-ESMX


Sweden Vaexjoe Kronoberg
2-10
AFC
AFC
AFC
Kronoberg Vaexjoe Sweden
AFC




Changes: TDZE, MGA, WPT ERIKXI, TIMEK added

Kronoberg TWR 118.150 Mon-Thur: 0500-2045;
Fri: 0500-2030;
Sun: 1200-2100


Landing RWY system:





Changes: RWY overrun, Parkingstand, APN, COM BDRY, BLDG

ILS or LOC 19



© Lido 2017

Changes: TDZE

LOC 01



3.00°
D MX

7.1	6	5	4	3
2600	2270	1950	1630	1310

01

HL-S

420

THR 610 (22hPa) / TDZ --- (---%) -0.7%

8.30°

60 HL

2106 x 45

D9 MX

D7.1

D4.8 VX

D1 MX

RW01

2600

IF

D

008°

1890

F

1360

MDA

008° at MNM 2600 LT to VX maintain 2600

GS	120	140	160
D4.8 MX	640	740	850
-MAPt	1:56	1:39	1:27

DIST to THR

5

3.9

0

01

LOC DME

Circling

C	ft - m/km ft	420 - 1.5 1030				600 - 2.4V 1210
D	ft - m/km ft	420 - 1.5 1030				700 - 3.6V 1310

NDB 01



01



GS	120	140	160
VX	640	740	850
-MAPt	1:56	1:39	1:27

01		NDB				Circling
C	ft - m/km ft	420 - 1.5 1030				600 - 2.4V 1210
D	ft - m/km ft	420 - 1.5 1030				700 - 3.6V 1310


12-OCT-2017
VXO-ESMX

Sweden **Vaexjoe** Kronoberg


IAC

7-40

NDB 19



2	3	4	5	6	6.2	3.00° RW19
1250	1570	1890	2210	2530	2600	



19	NDB				Circling
C	ft - m/km ft	420 - 1.2 990			600 - 2.4V 1210
D	ft - m/km ft	420 - 1.2 990			700 - 3.6V 1310

Changes: TDZE

