

GENERAL**Operational Hours****ATS Hours:** 1000-2359**Airport Information****RFF:** CAT 6**Fuel:** Not published**PCN:** RWY 01/19: 35/F/B/X/U**Operation****TWY Restrictions**

TWY A and B width 18m / 59ft.

Taxi/Parking

Taxi at reduced speed and strictly follow TWY CL.

Taxi into stands under own PWR and with marshalling assistance, unless otherwise indicated by ATC.

Engine Run-up

Engine tests not allowed BTN 0100-1100.

ARRIVAL**Speed**

MAX IAS 250KT below FL100 within airspace classes B, C, D and G.

Communication**COM Failure:** See CRAR.**DEPARTURE****Take-off Minima**


RWY		01/19		
Multi ENG	ft - m/km	0 - 550V	HJ only	For conditions check CRAR
		0 - 800V	HN	

Speed

MAX IAS 250KT below FL100 within airspace classes B, C, D and G.

Communication**COM Failure:** See CRAR.**Departure Procedure****Noise Abatement Procedure:** Use TKOF PROC B.





Changes: New


01-MAR-2018

N/A-SANR

7-10

ILS Five 01

IAC




LOC 3.10°		7	6	4	3	2	01	83.0° 60 L	
D RH								2500 x 30	
009°									
RWY 010°		3200	2890	2230	1900	1570		THR 913 (33hPa) / TDZ --- (---%) +0.1%	
D9 TRH		D7.5		D5.5		D1.2 TRH			
D8.5 RH		D7		D5		D0.7 RH			
3200		3200		2550		51		climb on HDG 009°	
3200		009°		GP 3.00°		MDA			
DIST to THR		6.8		5.4		0.5		0	
01		Cat 1 DME		LOC DME					
C		ft - m/km		240 - 1.2V		430 - 2.4V		600 - 3.7V	
		ft		1150		1340		1530	
D		ft - m/km		240 - 1.2V		430 - 2.8V		700 - 4.6V	
		ft		1150		1340		1630	
1) With EVS VIS 800m									

Changes: new


N/A-SANR

7-20

VOR DME One 01

[illegible]

VOR Two 01




01-MAR-2018

N/A-SANR

7-40

VOR DME Three 19

IAC



Changes: new

01-MAR-2018


Argentina **Santiago del Estero** Termas de Rio Hondo

IAC

N/A-SANR

7-50

VOR Four 19



Changes: new