

GENERAL**ATS Hours**

H24, attended 1500-0000±

EMERG: AD during attended time not AVBL call 505-429-3198.

Airport Information**RFF:** Not published**PCN:** O/R**Operation****Traffic Note**

RWY and APCH lights are turned off when TWR CLSD, thereafter activation by CTAF.

Warnings

Birds in vicinity of AD.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR United States.**DEPARTURE****Take-off Minima**

RWY		All RWYs	
1+2 ENG	ft- ft/SM	0 - 5000R/1.0V	-
3+4 ENG		0 - 2400R/0.5V	-

Speed

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR United States.

04-DEC-2014

LVS-KLVS

United States Las Vegas Las Vegas Muni

AGC
AFC


AFC

AFC

Las Vegas Muni Las Vegas United States


AGC
AFC

2-10



ASOS	118.525
Albuquerque Center	132.800
CTAF	122.800 ARCAL
Unicom	122.800
RCO (Albuquerque RDO)	122.600

Landing RWY system:



Changes: new

04-DEC-2014
LVS-KLVS

United States Las Vegas Las Vegas Muni


AGC

AGC

AGC

Las Vegas Muni Las Vegas United States

AGC



Changes: new

Obstacle Departure	
RWY	Routing
02 / 14	LT/RT Departures via R001 CW R215 FTI : climb on course. Departures via R216 CW R360 FTI : direct FTI . Climb in FTI HP (N, LT , 192° inbound) to cross FTI at AWY MEA/MCA.
20	LT (except via R215 FTI) Departures via R001 CW R215 FTI : climb on course. Departures via R216 CW R360 FTI : direct FTI . Climb in FTI HP (N, LT , 192° inbound) to cross FTI at AWY MEA/MCA.
32	RT Departures via R001 CW R215 FTI : climb on course. Departures via R216 CW R360 FTI : direct FTI . Climb in FTI HP (N, LT , 192° inbound) to cross FTI at AWY MEA/MCA.
RWY	Notes
02 / 14 / 20 / 32	Climb in hold not authorized for turbojet aircraft.

04-DEC-2014


LVS-KLVS

United States Las Vegas Las Vegas Muni


IAC

7-10

RNAV (GPS) 02



3.06°	9.5	7	5	4	3	2	02	L-N	457	6866 / 223hPa	TDZ ---%	-0.1%
RW02	10000	9180	8530	8210	7880	7560						



02	RNAV GPS LNAV	RNAV GPS LNAV SAF QNH ¹⁾			Circling TERPS	Circling ¹⁾ TERPS
C	ft - ft/SM ft	410 - 1.25V 7280	610 - 1.5V 7480		600 - 1.5V 7480	750 - 1.5V 7620
D	ft - ft/SM ft	Not authorized	Not authorized		Not authorized	Not authorized

1) Use with Santa Fe Muni (KSAF) QNH

Changes: new

Orig A

© Lido 2014




04-DEC-2014

United States Las Vegas Las Vegas Muni

LVS-KLVS

RNAV (GPS) 20

IAC



20		RNAV GPS				Circling
		LNAV ¹⁾				TERPS
C	ft - ft/SM ft	400 - 1.0V 7260				600 - 1.5V 7480
D	ft - ft/SM ft	Not authorized				Not authorized

1) Straight-in minimums NA when using Santa Fe Muni (KSAF) QNH

© Lido 2014

Changes: new

Orig A

04-DEC-2014



LVS-KLVS

United States Las Vegas Las Vegas Muni

IAC

7-30

RNAV (GPS) 32



1) Use with Santa Fe Muni (KSAF) QNH

Changes: new




Orig A

© Lido 2014

LVS-KLVS

7-50

VOR 20



20		VOR	VOR SAF QNH ¹⁾			Circling TERPS	Circling ¹⁾ TERPS
C	ft - ft/SM ft	560 - 1.5V 7420	760 - 2.0V 7620			600 - 1.5V 7480	760 - 2.0V 7630
D	ft - ft/SM ft	Not authorized	Not authorized			Not authorized	Not authorized

1) Use with Santa Fe Muni (KSAF) QNH