

**GENERAL**

**Operational Hours**

**ATS Hours:** 0530-1730

**AD ADMIN Hours:** MON-FRI 0630-1430

**Airport Information**

**RFF:** CAT 4

**Fuel:** 0530-1830

**PCN:** Not published

**Customs:** O/R

**Operation**

**Traffic Note**

AD AVBL O/R 48HR PN

**ARRIVAL**

**Speed**

MAX IAS 250KT below FL100 not applied, except HLDG speed MAX IAS 230KT.

**DEPARTURE**

**Take-off Minima**

RWY		05/23	
A, B, C	ft - m/km	0 - 400v	HJ only
		0 - 800v	HN
D		Not applicable	-

**Speed**

MAX IAS 250KT below FL100 not applied, except HLDG speed MAX IAS 230KT.

## ZND-DRZR


**AFC**

# AFC

# AFC


**AFC**

**2-10**



APP	118.300	
TWR	118.300	0530-1730
Niamey Info	126.100	

**Landing RWY system:**



TRL ATC  
TA 4000

© Lido 2018

Effective 16-AUG-2018

09-AUG-2018

ZND-DRZR

Niger Zinder

AGC


AGC

AGC




Zinder Niger

AGC

3-20



Changes: Nil



05		RNP VNAV 1) 2)	RNP LNAV				Circling HJ only
C	ft - m/km ft	290 - 1.2 <b>1760</b> <sup>3)</sup>	450 - 1.9 <b>1920</b>				680 - 2.4V <b>2190</b>
D	ft - m/km ft	Not published	Not published				Not published

1) SBAS use for VNAV not applicable or not authorized  
2) Uncompensated BARO VNAV NA below 10°C (50°F)


3) With EVS 800m

Changes: new

ZND-DRZR

7-20

RNP 23



60 L .....  
30 x 1825  
.....


-0.6% TDZ ---% **1510 / 54hPa**

23

2	3	4	5	6	6.7	3.00°
2200	2520	2840	3160	3470	3700	RW23

**233°**  
at ZR504 LT  
direct PIRGA  
climb 3700  
(MISAP MAX 220KT)

GS	120	140	160
ZR503	640	740	850
-MAPt	3:22	2:53	2:31



23		RNP VNAV 1) 2)	RNP LNAV	Circling HJ only	
C	ft - m/km ft	340 - 1.5 1850 3)	460 - 2.1 1970		680 - 2.4V 2190
D	ft - m/km ft	Not published	Not published		Not published

1) SBAS use for VNAV not applicable or not authorized

3) With EVS 1.0km


2) Uncompensated BARO VNAV NA below 10°C (50°F)

Changes: new

# ZND-DRZR

7-30

VOR 05




05		VOR		Circling <sup>1)</sup>	
C	ft - m/km ft	480 - 2.0 1950		610 - 2.4V 2120	
D	ft - m/km ft	Not published		Not published	

1) HJ only

## ZND-DRZR

7-40




VOR 23



## ZND-DRZR

7-50

NDB 05



05	NDB					Circling <sup>1)</sup>
C	ft - m/km ft	480 - 2.0 1950				610 - 2.4V 2120
D	ft - m/km ft	Not published				Not published

1) HJ only



## ZND-DRZR

7-60

## NDB 23

