

GENERAL			
Operational Hours			
ATS Hours / AD ADMIN Hours: 0600-1800			
Airport Information			
RFF: CAT 6			
LCN: RWY 08/26: 85			
Customs: H24 during Hajj and O/R			
Operation			
RWY Restriction			
RWY in use: As instructed by ATC.			
Taxi/Parking			
Taxiing guidance system and marshallers AVBL.			
Blast pads 120m / 394ft at both RWY ends.			
Warnings			
Birds in vicinity of AD and stray animals on RWY.			
DEPARTURE			
Take-off Minima			
RWY		08/26	
All ACFT	ft - m/km	0 - 500V	HJ only

Effective 07-DEC-2017

30-NOV-2017

SKO-DNSO

Nigeria Sokoto Saddiq Abubakar III Intl

AGC

AFC

AFC


AFC

Saddiq Abubakar III Intl Sokoto Nigeria

AGC

AFC

2-10



TWR 122.100 0600-1800
124.500 0600-1800
121.700 0600-1800

Landing RWY system:

08 PAPI angle not AVBL
3000 x 60
L-P1 THR 1001 (36hPa) / TDZ --- (---%) +0.1%
PAPI angle not AVBL
60 x 3000
-0.1% TDZ --- (---%) / THR 1010 (36hPa) L-P1
26

Changes: FREQ

Effective 07-DEC-2017

30-NOV-2017

SKO-DNSO

Nigeria Sokoto Saddiq Abubakar III Intl

AGC

AGC


AGC

Saddiq Abubakar III Intl Sokoto Nigeria

AGC

3-20

TWR	122.100	0600-1800
	124.500	0600-1800
	121.700	0600-1800



Changes: FREQ


25-JAN-2018
SKO-DNSO

Nigeria **Sokoto** Saddiq Abubakar III Intl

IAC

7-10

ILS DME + VOR 08



Changes: MIN


25-JAN-2018
SKO-DNSO

Nigeria Sokoto Saddiq Abubakar III Intl

IAC


7-30

RNAV (GNSS) 08



3.00° RW08		6.1	6	5	4	3	2	PAPI angle not AVBL	
		3000	2970	2650	2330	2010	1690		
		L-P1							
		THR 1001 (36hPa) / TDZ --- (---%) +0.1%							
11.1 RW08 OVRIG		6.1 S0800		RW08		TERS0 [K200-;R] - OVRIG [A3000+]			
3000		3000		078°		RT direct TERS0 (MAX 200KT) - OVRIG climb 3000			
RW08 N12 54.8 E005 11.6		1700		MDA					
DIST to THR		10	6.1	5	0				
08		RNAV GNSS LNAV HJ only	RNAV GNSS LNAV APL U/S, HJ only					Circling HJ only	
C	ft - m/km	420 - 1.7	420 - 2.4					Not published	
	ft	1420	1420						
D	ft - m/km	420 - 1.7	420 - 2.4					Not published	
	ft	1420	1420						

Changes: MIN




25-JAN-2018
SKO-DNSO

Nigeria Sokoto Saddiq Abubakar III Intl


IAC

7-50

VOR DME 08



3.14°		7.1	7	6	5	4		PAPI angle not AVBL
D SOK								
		2700	2670	2330	2000	1670		



08		VOR DME HJ only	VOR DME HJ only APL U/S			Circling HJ only W of AD only
C	ft - m/km ft	370 - 1.6V 1370	370 - 2.2V 1370			600 - 2.4V 1610
D	ft - m/km ft	370 - 2.0V 1370	370 - 2.4V 1370			1000 - 4.4V 2010

Changes: Nil


25-JAN-2018
SKO-DNSO

Nigeria Sokoto Saddiq Abubakar III Intl

IAC

7-60

VOR DME 26



PAPI angle not AVBL

60 x 3000

26


-0.1% TDZ --- (---%) / THR 1010 (36hPa)

L-P1

1	2	3	4	4.5	3.00° D SOK
1560	1890	2220	2540	2700	

HDG 258°
at MNM 2000 LT
direct SOK
climb 5000

GS	120	140	160
D4.5 SOK	640	740	850
-MAPt	2:15	1:56	1:41



26		VOR DME HJ only	VOR DME APL U/S HJ only	Circling W of AD only HJ only	
C	ft - m/km ft	360 - 1.4 1370	360 - 2.4 1370	600 - 2.4V 1610	
D	ft - m/km ft	360 - 1.4 1370	360 - 2.4 1370	1000 - 3.6V 2010	

Changes: MIN