

03-DEC-2015

GAQ-GAGO**1-10****AOI****AOI****GENERAL****ATS Hours**

HS (0600-1800), other times O/R

Airport Information**RFF:** CAT 5, H24**Fuel:** HS (0600-1800), other times O/R 2HR before TKOF**PCN:** RWY 07L/25R: 42/F/A/W/T**Customs:** O/R**Operation****RWY Restriction**

180°-turn for ACFT over 40t / 88185lbs at RWY ends only.

TWY Restriction

Main TWY width 20m / 66ft, MAX strength: B727.

Warnings

Flying over MIL camp prohibited.

ARRIVAL**Speed**

MAX IAS 250KT below FL100 not applied, except HLDG speed MAX IAS 230KT.

Arrival Procedure**VFR Traffic Pattern:** RWY 07L right-hand circuit only.**DEPARTURE****Take-off Minima**

RWY		07L/25R	
All ACFT	ft - m/km	0 - 400V	HJ only
		0 - 800V	HN

Speed

MAX IAS 250KT below FL100 not applied, except HLDG speed MAX IAS 230KT.

Effective 30-MAR-2017

23-MAR-2017

GAQ-GAGO


2-10

Mali Gao Korogoussou

AE

A

C Korogoussou Gao Ma



TWR 118.500 HS

Landing RWY system:

07

83.2° 60 L
2500 x 45
hPa) / TDZ 836 (---%) +0.3%

1

45 x 2500

-0.3% TDZ 870 (---%) / THR 863 (31hPa)

Gravel surface

THB 817 (29hPa) / TDZ 817 (---%) +0.7%

Gravel surface

30 x 1800

-0.7% | TDZ 856 (---%) / THR 856 (3 MPa)

Effective 30-MAR-2017

23-MAR-2017

GAQ-GAGO

Mali Gao Korogoussou


AGC

AGC

Korogoussou Gao Mali

AGC

3-20




Changes: Nil

GAQ-GAGO

7-10

RNAV (GNSS) 07L



GAQ-GAGO

7-20

RNAV (GNSS) 25R

