

GENERAL**Operational Hours****ATS Hours:** 1000-2359**Airport Information****RFF:** CAT 5**PCN:** Not published**Operation****TWY Restrictions**

North APN access width 10.5m / 34ft.

Taxi/Parking

Taxi at reduced speed and strictly follow TWY CL.

Taxi into stands under own PWR and with marshaller assistance, unless otherwise indicated by ATC.

Taxi out of stands under own PWR.

Engine Run-up

Engine tests not allowed BTN 0100-1100.

Warnings**MLG VOR/DME** unusable: R180-R330 beyond 15NM below FL120.**ARRIVAL****Speed**

MAX IAS 250KT below FL100 within airspace classes B, C, D and G.

Communication**COM Failure:** See CRAR.**DEPARTURE****Take-off Minima**

RWY		14/32		
Multi ENG	ft - m/km	0 - 550V	HJ only	For conditions check CRAR
		0 - 800V	HN	

Speed

MAX IAS 250KT below FL100 within airspace classes B, C, D and G.

Communication**COM Failure:** See CRAR.**Departure Procedure****Noise Abatement Procedure:** Use TKOF PROC B.

LGS-SAMMI

2-10

AFC

AFC



AGC
AFC





LGS-SAMM

NIL

6-10


STARs RWY 32

STAR

STAR

NIL


STARs RWY 32



Changes: new

© Lido 2018

01-MAR-2018

LGS-SAMM**7-10****VOR DME or GNSS 32**

32		VOR DME		Circling 1)	
C	ft - m/km ft	440 - 2.4V 5100		710 - 3.7V 5400	
D	ft - m/km ft	440 - 2.8V 5100		710 - 4.6V 5400	

1) E of RWY 14/32 only

Changes: new