

GENERAL**Operational Hours****ATS Hours:** Uncontrolled AD, CTAF**AD OPS Hours:** Not published**Airport Information****RFF:** Not published**Fuel:** MON-FRI H24 with 2HR PN, SAT/SUN O/R**PCN:** RWY 07/25: 17/F/B/700 (102PSI)/T**Customs:** Not published**Operation****Traffic Note**

PPR with 24HR PN.

Transponder Operation

For details on Transponder Mode S Operation see CRAR Australia.

RWY Restriction

ACFT with MTOM above 15t / 33069lbs must use RWY ends for 180°-turns.

TWY Restriction

TWY A and eastern portion of APN MAX weight 5.7t / 12500lbs.

Parking

Marshaller not AVBL.

Warnings

Standing water may be encountered at the RWY intersection during high intensity rainfall events .

Animal and Birds in vicinity of AD. Contact AD officer for wildlife updates prior to DEP.

ARRIVAL**Communication****COM Failure:** See CRAR Australia.**Arrival Procedure****Noise Abatement Procedures:** See CRAR Australia.**DEPARTURE****Take-off Minima**

RWY		07/25	
Multi ENG	ft - m/km	0 - 550V	REDL+RCLM, HJ only
		0 - 800V	-
other		c300 - 2.0V	-

Communication**COM Failure:** See CRAR Australia.**Departure Procedure****Noise Abatement Procedure:** See CRAR Australia.

TCA-YTNK

AGC


AFC

AFC

AFC

AGC

AFC



© Lido 2016

22-DEC-2016
TCA-YTNK


Australia Tennant Creek
AGC

AGC


AGC



Tennant Creek Australia
AGC


3-20



Changes: new



3.01° TNKWM			5.3	4	3	2	07	 3.0° 60 L  1959 x 30
			3000	2580	2260	1940		THR 1204 (43hPa) / IDZ --- (---%) +0.4%



07		RNAV GNSS RNAV ¹⁾				Circling ¹⁾
C	ft - m/km ft	520 - 2.9V 1720				830 - 4.0V 2060
D	ft - m/km ft	Not applicable				Not applicable


1) Minima may be reduced by 100ft with actual QNH

22-DEC-2016


TCA-YTNK

7-30

VOR 07



3.00°				5	4	3		07	3.0°	60 L	
D TNK									1959 x 30		
074°											
RWY 070°				2630	2320	2000					
THR 1204 (43hPa) / TDZ --- (---%) +0.4%											



07		VOR DME 1)	VOR 1)			Circling 1)
C	ft - m/km ft	560 - 3.2V 1760	600 - 3.4V 1800			830 - 4.0V 2060
D	ft - m/km ft	Not applicable	Not applicable			Not applicable

1) Minima may be reduced by 100ft with actual QNH

Changes: new

22-DEC-2016




TCA-YTNK

Australia Tennant Creek

IAC

7-40

NDB A Letdown



07/25	Letdown NDB 1)					Circling 1)
C	ft - m/km ft	830 - 4.0V 2060				830 - 4.0V 2060
D	ft - m/km ft	Not applicable				Not applicable

1) Minima may be reduced by 100ft with actual QNH

Changes: new