

GENERAL**Operational Hours**

ATS Hours / AD ADMIN Hours: See NOTAM

Airport Information

RFF: CAT 7

PCN: RWY 12/30: 110/R/A/W/T

Customs: Not AVBL

Operation

RWY Restriction: 180° turns AVBL on RWY turn pads only.

Warnings

GDR VOR/DME unusable:

- R304-R085 beyond 2NM
- R110-R140 beyond 17NM
- R141-R280 beyond 17NM under 14000ft.

GDR NDB unusable:

- 304°-085° beyond 2NM
- 110°-140° beyond 17NM
- 141°-280° beyond 17NM under 14000ft.

LOC/DME RWY 12 unusable:

- Outside 10° both sides of LOC CL.

Caution: Do not to exceed Turkish/Armenian border during holding, APCH and MISAP.

Birds in vicinity of AD.

ARRIVAL**Speed**

MAX IAS 250KT within TMA at or below FL100 (refer to RFCs)

Communication**COM Failure****IFR flights unable to comply RNAV PROC**

Proceed to GDR VOR/NDB via STAR PROC, when required to ensure compliance with ICAO standard COM failure, hold over this aid until commencement of descent and execute IAP and land.

IFR flights able to comply RNAV PROC

Proceed to ELTOX, when required to ensure compliance with ICAO standard COM failure, hold over this fix until commencement of descent and execute RNAV APCH PROC and land.

Arrival Procedure

Circling APCH northeast of AD prohibited.

DEPARTURE

Take-off Minima

RWY		12/30	
All ACFT	ft - m/km	0 - 400R/400V	-

Speed

MAX IAS 250KT within TMA at or below FL100 (refer to RFCs)

Departure Procedure

Start-up/Push-back

For start-up PROCs see CRAR.

Push-back operation is mandatory for the stands 1-5 until TWY entrance.

De-icing

AVBL.

Effective 16-AUG-2018

09-AUG-2018

IGD-LTCT

2-10

Turkey Igdır Sehit Bulent Aydın

AGC

AFC


AFC

AFC

Sehit Bulent Aydın Igdır Turkey


AGC

AFC



APP 119.600
TWR 121.300
GND 121.800

Landing RWY system:



Changes: Nil

Effective 16-AUG-2018

09-AUG-2018

IGD-LTCT

Turkey Iğdir Şehit Bulent Aydın

AGC


AGC

AGC

Şehit Bulent Aydın Iğdir Turkey

AGC

3-20



Changes: RVR, TWY , APN, Deicing, BLDG, TWR

Effective 22-JUN-2017

15-JUN-2017

IGD-LTCT

Turkey Iğdir Sehit Bulent Aydin

SID RWY 30

SIDs RWY 12

SID


SID

Sehit Bulent Aydin Iğdir Turkey

SID RWY 30

SIDs RWY 12

4-10



Changes: AD Name

Effective 22-JUN-2017

15-JUN-2017

IGD-LTCT

Turkey Igdır Sehit Bulent Aydin

Sehit Bulent Aydin Igdır Turkey


4-20

SID RWY 30

SID

SID

SID RWY 30



Changes: AD Name

15-JUN-2017

IGD-LTCT

5-10

SIDs RWY 12

SIDPT

ULKUR 1A / YAVUZ 1A

RWY 12 (124°)

	GS	120	150	180	210	240	270
4.0%	ft/MIN	500	700	800	900	1000	1100

DESIGNATOR	ROUTING	ALTITUDES
	Runway 12	
ULKUR 1A 4.0% to 10000 119.600	intercept R124 GDR - at D10 GDR LT to GDR - R239 GDR to ULKUR - join AWY W159	
YAVUZ 1A 4.0% to 10000 119.600	intercept R124 GDR - at D10 GDR LT to GDR - R269 GDR to YAVUZ via PEXES - join AWY B374	

ETISI 1A

RWY 30 (304°)

	GS	120	150	180	210	240	270
5.5%	ft/MIN	700	900	1100	1200	1400	1600

DESIGNATOR	ROUTING	ALTITUDES
	Runway 30	
ETISI 1A 5.5% to 12500 119.600	intercept R292 GDR to ETISI - join AWY	

Effective 22-JUN-2017

15-JUN-2017

IGD-LTCT

6-10

Turkey Iğdir Sehit Bulent Aydin

NIL

STARs


STAR

STAR

Sehit Bulent Aydin Iğdir Turkey

NIL



STARs




Changes: AD Name

LOC 12

© Lido 2017



RNAV (GNSS) 12

© Lido 2017



Changes: MIN

12-OCT-2017

IGD-LTCT

7-40

RNAV (GNSS) 30





Changes: MIN

12-OCT-2017

IGD-LTCT


7-50

VOR DME One



Changes: MIN

VOR DME Two





12-OCT-2017

IGD-LTCT

7-70

NDB DME



Changes: MIN