

GENERAL

Operational Hours

ATS Hours: H24 (Nassau ATS)**AD OPS Hours:** SR-SS**AD ADMIN Hours:** MON-FRI 1400-2200±

Airport Information

RFF: Not AVBL**Fuel:** Not AVBL**PCN:** Not published**Customs:** 1200-0000±, other times O/R

Warnings

Eleuthera's main road, Queen's highway crosses the APCH end of RWY 27 APPROX 61m / 200ft east of THR. The highway turns and runs parallel to the RWY APPROX 122m / 400ft north of RWY CL for an approximate distance of 762m / 2500ft past THR 27.

Potential danger of wild horses on the RWY.

DEPARTURE

Take-off Minima

RWY		09/27	
1+2 ENG	ft - m/km	0 - 1.6V	HJ only
3+4 ENG		0 - 800V	

26-JUL-2018
RSD-MYER

Bahamas Rock Sound

AGC
AFC


AFC

AFC

Rock Sound Bahamas


AGC
AFC

2-10



Nassau APP 121.000
UNICOM 122.800 HJ
Nassau RDO 128.000
124.200

Landing RWY system:



Changes: new

26-JUL-2018
RSD-MYER

Bahamas Rock Sound

AGC


AGC

AGC

Rock Sound Bahamas

AGC

UNICOM	122.800	HJ
Nassau RDO	128.000	
	124.200	



Changes: new

26-JUL-2018
RSD-MYER

4-10

Bahamas Rock Sound

NIL

INURE 1 RNAV


SID

SID

Rock Sound Bahamas

NIL

INURE 1 RNAV



Changes: new

26-JUL-2018

Bahamas Rock Sound

RSD-MYER

5-10

INURE 1 RNAV

SIDPT

INURE 1

RWY 09 (096°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 09	
INURE 1 121.000 ①	DCT <u>BRIMS</u> [R] - DCT IBASE [K210-] - INURE	BRIMS MNM 630 IBASE MNM 3300
	TRANSITION	
	HEKOP INURE - ZARAR - HEKOP	
	ZUTUN INURE - ZUTUN	

① Close-in obstacles: Tree 206ft from DER, 341ft left of centerline, 59ft MSL. Tree 321ft from DER, 495ft right of centerline, 62ft MSL. Tree 336ft from DER, 577ft right of centerline, 58ft MSL. Tree 328ft from DER, 252ft left of centerline, 53ft MSL. Tree 535ft from DER, 162ft left of centerline, 56ft MSL.

Changes: New


26-JUL-2018
RSD-MYER

Bahamas Rock Sound


IAC

7-10

RNAV (GNSS) 09



3.10° RW09	6.8	6	4	3	2	09	2198 x 46	61 ML
	2300	2040	1390	1060	730			
THR 16 (1hPa) / TDZ --- (---%) -0.1%								



09		RNAV GNSS LNAV HJ only ¹⁾					Circling HJ only ¹⁾
C	ft - m/km ft	630 - 3.6V 640					780 - 3.7V 790
D	ft - m/km ft	630 - 4.0V 640					780 - 4.8V 790


1) Use with Eleuthera (MYEM) QNH

Changes: new


© Lido 2018

7-20

RNAV (GNSS) 27



61 ML	2	3	4	6	6.8	3.10°
46 x 2198						RW27
+0.1% TDZ --- (---%) / THR 9 (0hPa)	720	1050	1380	2040	2300	



27	RNAV GNSS LNAV HJ only ¹⁾					Circling HJ only ¹⁾
C	ft - m/km ft	640 - 3.6V 640				780 - 3.7V 790
D	ft - m/km ft	640 - 4.0V 640				780 - 4.8V 790

1) Use with Eleuthera (MYEM) QNH