

GENERAL**Operational Hours****ATS Hours:** TWR 1200-0400 \pm , use CTAF outside TWR OPS hours**AD OPS Hours:** Attended continuously**Airport Information****RFF:** FAA Index C / CAT 7 AVBL O/R**Fuel:** Jet A, A1+**PCN:** RWY 02/20: 37/F/G/X/T**Operation****Traffic Notes**

RWY and APCH lights are turned off when TWR CLSD, thereafter activation by CTAF.

TWY Restriction

TWY G CLSD.

Warnings**CLT VOR/DME** unusable:

DME

R203-R220

R270-R350 beyond 20NM below 5000ft.

VOR

R203-R220.

Birds in vicinity of AD.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR.

DEPARTURE**Take-off Minima**

RWY		02	
1+2 ENG	ft - ft/SM	0 - 1.0V	-
3+4 ENG		0 - 0.5V	-
RWY		20	
1+2 ENG	ft - ft/SM	0 - 1.0V	MNM climb gradient 3.4% up to 1000, or TKOF must occur no later than 1200ft/366m prior to RWY end.
3+4 ENG		0 - 0.5V	SID BARMY, SID BEAVY, SID BOBZY, SID ESTRR, SID ICONS, SID JOJJO, SID KILNS, SID KRITR, SID KWEEN, SID LILLS, SID WEAZL: MNM clim gradient 5.3% up to 2400

Speed

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR.

28-DEC-2017

N/A-KJQF

United States Concord Rgnl

BEAVY 4 RNAV

4-10


BARMY 3 RNAV

IS
IS

Concord Rgnl Concord United States

BEAVY 4 RNAV

BARMY 3 RNAV



Changes: new


N/A-KJQF

4-20

SID

SID

BEAUVY 4 RNAV



N/A-KJQF


4-40

ESTRR 3 RNAV

SID

SID

ESTRR 3 RNAV



Changes: new

© Lido 2017

N/A-KJQF

JOJO 3 RNAV

ICONS 3 RNAV


SID

SID

JOJO 3 RNAV

ICONS 3 RNAV

4-50



© Lido 2017


N/A-KJQF

JOJO 3 RNAV

SID

SID

JOJO 3 RNAV



Changes: new

© Lido 2017

N/A-KJQF

KRITER 4 RNAV


KILNS 3 RNAV

SID

SID

▼

KILNS 3 RNAV



Changes: new

28-DEC-2017

N/A-KJQF

United States Concord Rgnl

4-80


KRITR 4 RNAV

SID

SID

Concord Rgnl Concord United States

KRITR 4 RNAV



N/A-KJQF

LILLS 1 RNAV


KWEEN 3 RNAV

SID

SID

LILLS 1 RNAV

KWEEN 3 RNAV



Changes: new

© Lido 2017

28-DEC-2017

N/A-KJQF

United States **Concord** Concord Rgnl

SID


SID

Concord Rgnl **Concord** United States

4-100

LILLS 1 RNAV

LILLS 1 RNAV



Changes: new

N/A-KJQF

4-110


WEAZL 3 RNAV

9

9

WEAZI

WEAZL 3 RNAV




N/A-KJQF

4-120

SID

SID

KERMIT 1



28-DEC-2017

United States **Concord** Concord Rgnl**N/A-KJQF****5-10****BARMY 3 RNAV****SIDPT****BARMY 3**

RWYs 02 (016°) / 20 (196°)

DESIGNATOR	ROUTING	ALTITUDES
BARMY 3 (Jet only) 128.325 ①②		MESHY MNM 4000 initial climb 3000
RWY 02	H016° [A2200+] - HDG assigned by ATC - expect VECTORS - DCT MESHY - GULFY - BARMY	
RWY 20	H196° [A1110+] - H150° [A2400+] - HDG assigned by ATC - expect VECTORS - DCT MESHY - GULFY - BARMY	
	TRANSITION	
	NUTZE BARMY - BATTA - NUTZE	
	RALEIGH/DURHAM (RDU) BARMY - BATTA - RDU	
	TAR RIVER (TYI) BARMY - BATTA - TYI	

① Expect clearance to filed ALT within 10 MIN after departure

② Upon reaching 10000ft accelerate to and maintain 280KT, if unable advise ATC

Changes: New

28-DEC-2017

United States **Concord** Concord Rgnl**N/A-KJQF****5-20****BEAVY 4 RNAV****SIDPT****BEAVY 4**

RWYs 02 (016°) / 20 (196°)

DESIGNATOR	ROUTING	ALTITUDES
BEAVY 4 (Jet only) 128.325 ①②		UGANG MNM 4000 initial climb 3000
RWY 02	H016° [A2200+] - HDG assigned by ATC - expect VECTORS - DCT UGANG - BEAVY	
RWY 20	H196° [A1110+] - H150° [A2400+] - HDG assigned by ATC - expect VECTORS - DCT UGANG - BEAVY	
	TRANSITION	
	GANDT BEAVY - ANDYS - GANDT	
	JENDO BEAVY - ANDYS - JENDO	

① Expect clearance to filed ALT within 10 MIN after departue

② Upon reaching 10000ft accelerate to and maintain 280KT, if unable advise ATC

Changes: New

28-DEC-2017

United States **Concord** Concord Rgnl**N/A-KJQF****5-30****BOBZY 3 RNAV****SIDPT****BOBZY 3**

RWYs 02 (016°) / 20 (196°)

DESIGNATOR	ROUTING	ALTITUDES
BOBZY 3 (Jet only) 128.325 ①②		LACHN MNM 4000 initial climb 3000
RWY 02	H016° [A2200+] - HDG assigned by ATC - expect VECTORS - DCT LACHN - YNGUN - BOBZY	
RWY 20	H196° [A1110+] - H150° [A2400+] - HDG assigned by ATC - expect VECTORS - DCT LACHN - YNGUN - BOBZY	
	TRANSITION	
	NASHVILLE (BNA) BOBZY - BRAYN - REWET - HALLS - BAZOO - BNA	
	TNSLY BOBZY - TNSLY	

① Expect clearance to filed ALT within 10 MIN after departure

② Upon reaching 10000ft accelerate to and maintain 280KT, if unable advise ATC

Changes: New

ESTRR 3

RWYs 02 (016°) / 20 (196°)

DESIGNATOR	ROUTING	ALTITUDES
ESTRR 3 (Jet only) 128.325 ①②		GINNN MNM 4000 initial climb 3000
RWY 02	H016° [A2200+] - HDG assigned by ATC - expect VECTORS - DCT GINNN - ESTRR	
RWY 20	H196° [A1110+] - H150° [A2400+] - HDG assigned by ATC - expect VECTORS - DCT GINNN - ESTRR	
	TRANSITION	
	IPTAY ESTRR - DEBIE - IPTAY	

① Expect filed ALT within 10 MIN after departure

② Upon reaching 10000ft accelerate to and maintain 280KT, if unable advise ATC

28-DEC-2017

United States **Concord** Concord Rgnl**N/A-KJQF****5-50****ICONS 3 RNAV****SIDPT****ICONS 3**

RWYs 02 (016°) / 20 (196°)

DESIGNATOR	ROUTING	ALTITUDES
ICONS 3 (Jet only) 128.325 ①②		
		initial climb 3000
RWY 02	H016° [A2200+] - HDG assigned by ATC - expect VECTORS - DCT GILFN - ICONS	
RWY 20	H196° [A1110+] - H150° [A2400+] - HDG assigned by ATC - expect VECTORS - DCT GILFN - ICONS	
	TRANSITION	
	NOOKS ICONS - NOOKS	

① Expect filed ALT within 10 MIN after departure

② Upon reaching 10000ft accelerate to and maintain 280KT, if unable advise ATC

Changes: New

28-DEC-2017

N/A-KJQF

United States **Concord** Concord Rgnl

5-60

JOJJO 3 RNAV

SIDPT

JOJJO 3

RWYs 02 (016°) / 20 (196°)

DESIGNATOR	ROUTING	ALTITUDES
JOJJO 3 (Jet only) 128.325 ①②		WAYDS MNM 4000 initial climb 3000
RWY 02	H016° [A2200+] - HDG assigned by ATC - expect VECTORS - DCT WAYDS - LONEE - JOJJO	
RWY 20	H196° [A1110+] - H150° [A2400+] - HDG assigned by ATC - expect VECTORS - DCT WAYDS - LONEE - JOJJO	
	TRANSITION	
	CUBIM JOJJO - WLLGO - BENBY - TIELR - CUBIM	
	DOOGE JOJJO - MTCHL - DOOGE	
	NOONN (ATC) JOJJO - WLLGO - BENBY - SLEPP - BFORE - NOONN	

① Expect clearance to filed ALT within 10 MIN after departure

② Upon reaching 10000ft accelerate to and maintain 280KT, if unable advise ATC

Changes: New

28-DEC-2017

United States **Concord** Concord Rgnl**N/A-KJQF****5-70****KILNS 3 RNAV****SIDPT****KILNS 3**

RWYs 02 (016°) / 20 (196°)

DESIGNATOR	ROUTING	ALTITUDES
KILNS 3 (Jet only) 128.325 ①②		MUNBE MNM 4000 initial climb 3000
RWY 02	H016° [A2200+] - HDG assigned by ATC - expect VECTORS - DCT MUNBE - LILIC - KILNS	
RWY 20	H196° [A1110+] - H150° [A2400+] - HDG assigned by ATC - expect VECTORS - DCT MUNBE - LILIC - KILNS	
	TRANSITION	
	AUDII KILNS - DURST - AUDII	

① Expect clearance to filed ALT within 10 MIN after departure

② Upon reaching 10000ft accelerate to and maintain 280KT, if unable advise ATC

Changes: New

28-DEC-2017

United States **Concord** Concord Rgnl**N/A-KJQF****5-80****KRITR 4 RNAV****SIDPT****KRITR 4**

RWYs 02 (016°) / 20 (196°)

DESIGNATOR	ROUTING	ALTITUDES
KRITR 4 (Jet only) 128.325 ①②		JDEAN MNM 4000 initial climb 3000
RWY 02	H016° [A2200+] - HDG assigned by ATC - expect VECTORS - DCT JDEAN - KRITR	
RWY 20	H196° [A1110+] - H150° [A2400+] - HDG assigned by ATC - expect VECTORS - DCT JDEAN - KRITR	
	TRANSITION	
	FILDS KRITR - FILDS	
	SMIAM KRITR - SMIAM	

① Expect clearance to filed ALT within 10 MIN after departure

② Upon reaching 10000ft accelerate to and maintain 280KT, if unable advise ATC

Changes: New

28-DEC-2017

United States **Concord** Concord Rgnl**N/A-KJQF**

5-90

KWEEN 3 RNAV**SIDPT****KWEEN 3**

RWYs 02 (016°) / 20 (196°)

DESIGNATOR	ROUTING	ALTITUDES
KWEEN 3 (Jet only) 128.325 ①②		initial climb 3000
RWY 02	H016° [A2200+] - HDG assigned by ATC - expect VECTORS - DCT HMMPY - KWEEN	
RWY 20	H196° [A1110+] - H150° [A2400+] - HDG assigned by ATC - expect VECTORS - DCT HMMPY - KWEEN	
	TRANSITION	
	PITRW KWEEN - UNJAM - TASTY - PITRW	

① Expect filed ALT within 10 MIN after departure

② Upon reaching 10000ft accelerate to and maintain 280KT, if unable advise ATC

Changes: New

28-DEC-2017

N/A-KJQF**5-100****LILLS 1 RNAV****SIDPT****LILLS 1**

RWYs 02 (016°) / 20 (196°)

DESIGNATOR	ROUTING	ALTITUDES
LILLS 1 (Jet only) 128.325 ①②		LAMDE MNM 4000 initial climb 3000
RWY 02	H016° [A2200+] - HDG assigned by ATC - expect VECTORS - DCT LAMDE - LILLS	
RWY 20	H196° [A1110+] - H150° [A2400+] - HDG assigned by ATC - expect VECTORS - DCT LAMDE - LILLS	

① Expect clearance to filed ALT within 10 MIN after departure

② Upon reaching 10000ft accelerate to and maintain 280KT, if unable advise ATC

Changes: New

28-DEC-2017

United States **Concord** Concord Rgnl**N/A-KJQF****5-110****WEAZL 3 RNAV****SIDPT****WEAZL 3**

RWYs 02 (016°) / 20 (196°)

DESIGNATOR	ROUTING	ALTITUDES
WEAZL 3 (Jet only) 128.325 ①②		WHFRD MNM 4000 initial climb 3000
RWY 02	H016° [A2200+] - HDG assigned by ATC - expect VECTORS - DCT WHFRD - WEAZL	
RWY 20	H196° [A1110+] - H150° [A2400+] - HDG assigned by ATC - expect VECTORS - DCT WHFRD - WEAZL	
	TRANSITION	
	CLAWD WEAZL - CLAWD	

① Expect clearance to filed ALT within 10 MIN after departure

② Upon reaching 10000ft accelerate to and maintain 280KT, if unable advise ATC

Changes: New

28-DEC-2017

N/A-KJQF

United States **Concord** Concord Rgnl

5-120

KERMIT 1

SIDPT

KERMIT 1

RWYs 02 (016°) / 20 (196°)

DESIGNATOR	ROUTING	ALTITUDES
KERMIT 1 (Jet) 128.350 ①		initial climb 3000
RWY 02	HDG 016° to MNM 2200 expect radar vectors to intercept filed/assigned transition or enroute fix/navaid	
RWY 20	LT HDG 150° to MNM 2400 expect radar vectors to intercept filed/assigned transition or enroute fix/navaid	
	TRANSITION	
	ANDYS CLT - ANDYS	
	DEBIE CLT - DEBIE	
	HAMLN CLT - WALUT - HAMLN	
	JOTTA CLT - JOTTA	
	LILLS CLT - LILLS	
	MERIL CLT - MERIL	
	NEANO CLT - BOBZY - NEANO	
	NELEY CLT - JOTTA - NALEY	
	TREAL CLT - ANDYS - TREAL	

① Expect filed altitud/flight level 10 minutes after departure

Changes: New

Obstacle Departure	
RWY	Routing
02	Climb HDG 016° to 2200 before proceeding on course.
20	Climbing RT HDG 290° to intercept R039 CTL outbound to 2100 before proceeding on course.
RWY	Notes
02	Poles and trees beginning 2624ft from DER, 688ft left of centerline, up to 45ft AGL/ 784ft MSL. Trees beginning 2107ft from DER, 787ft right of centerline, up to 24ft AGL AGL/783ft MSL.
20	Street lights beginning 3047ft from DER, 196ft right of centerline, up to 105ft AGL/ 744ft MSL. Trees 1.3NM from DER, 1544ft right of centerline, up to 100ft AGL/ 849ft MSL.

28-DEC-2017

N/A-KJQF

United States **Concord** Concord Rgnl

NIL

STAR

STAR


Concord Rgnl **Concord** United States

NIL

KABEE 2 RNAV

6-10

KABEE 2 RNAV



Changes: New

N/A-KJQF


CHPTR 2

STAR

STAR

CHPTR 2

6-30



Changes: Nil

© Lido 2018

N/A-KJQF

United States **Concord** Concord Rgnl


STAR

STAR

Concord Rgnl **Concord** United States

NASCR 3

NASCR 3



Changes: Track, PROC renumbered