

XMS-SEMC

1-10

AOI

AOI

GENERAL

Operational Hours

ATS Hours: HJ

AD ADMIN Hours: MON-FRI 1300-2130

Airport Information

RFF: CAT 5
PCN: Not published
Customs: Not AVBL

Operation

RWY Restriction

180° turns on RWY prohibited.

DEPARTURE

Take-off Minima

RWY	02/20		
All ACFT	ft - m/km	c500 - 4.3V	HJ only

Guayaquil CTL	128.300
Shell APP	123.900
TWR	119.500 HU
	122.900 HU
	123.000 HU
	123.300 HU

-1.2% [TDZ 3452 (-1.3%) / TIR 3356 (+0.9%)] +1.2%

[TIR 3356 (116hPa) / TIR 3452 (119hPa)]

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

30 x 2500

2500 x 30

02

Landing RWY system:

