

GENERAL**Operational Hours****ATS Hours:** H24

AD ADMIN Hours: Winter MON-FRI 0700-1600
 Summer (JUL-AUG) MON-FRI 0600-1200
 Ramadan MON-FRI 0700-1300

Airport Information


RFF: CAT 7
Fuel: AVBL O/R
PCN: RWY 05/23: 37/F/B/X/U
Customs: H24


ARRIVAL**Arrival Procedure****VFR Traffic Pattern**

RWY 05 right-hand circuit.

DEPARTURE**Take-off Minima**

RWY		05/23	
All ACFT	ft - m/km	0 - 400V	-





Effective 23-JUN-2016

16-JUN-2016

GAF-DTTF

Tunisia Gafsa Ksar

SIDs RWY 23

SIDs RWY 05

SID


SID

Ksar Gafsa Tunisia

SIDs RWY 23

SIDs RWY 05

4-10



Changes: Track, MSA, VAR

GAF-DTTF

Ksar **Gafsa** Tunisia


SID

SID

SIDs RWY 23

4-20

SIDs RWY 23



Changes: Track, MSA, VAR

© Lido 2016

16-JUN-2016

GAF-DTTF

5-10

SIDs RWY 05**SIDPT****ASMAS 1B / JEDLA 1B / ORBAT 1B / SOUIN 2B**

RWY 05 (046°)

	GS	120	150	180	210	240	270
6.0%	ft/MIN	800	1000	1100	1300	1500	1700

DESIGNATOR	ROUTING	ALTITUDES
	Runway 05	
ASMAS 1B 6.0% to 3500 122.750 ①②	at D5 GAF LT (MAX 210KT) intercept R356 GAF to GAF - R208 GAF to ASMAS	
JEDLA 1B 6.0% to 3500 122.750 ①②	at D5 GAF LT (MAX 210KT) intercept R356 GAF to GAF - R238 GAF to JEDLA	
ORBAT 1B 6.0% to 3500 122.750 ①②	at 1500 RT intercept R089 GAF to ORBAT	
SOUIN 2B 6.0% to 3500 122.750 ①②	at D5 GAF LT intercept R031 GAF to SOUIN	

- ① If unable to comply with climb gradient advise ATC.
 ② No turn permitted below 1500ft.

Changes: Track, RWY QFU

16-JUN-2016

GAF-DTTF

5-20

SIDs RWY 23**SIDPT****ASMAS 1A / JEDLA 1A / ORBAT 1A / SOUIN 1A**

RWY 23 (226°)


	GS	120	150	180	210	240	270
6.0%	ft/MIN	800	1000	1100	1300	1500	1700

DESIGNATOR	ROUTING	ALTITUDES
	Runway 23	
ASMAS 1A 6.0% to 3500 122.750 ①②③	at 1500 LT intercept R208 GAF to ASMAS	
JEDLA 1A 6.0% to 3500 122.750 ①②③	RT intercept R238 GAF to JEDLA	
ORBAT 1A 6.0% to 3500 122.750 ①②③	at D5 GAF RT (MAX 210KT) intercept R276 GAF to GAF - R089 GAF to ORBAT	R273 GAF MNM 3300
SOUIN 1A 6.0% to 3500 122.750 ①②③	at D5 GAF RT (MAX 210KT) intercept R276 GAF to GAF - R031 GAF to SOUIN	R273 GAF MNM 3300

- ① If unable to comply with climb gradient advise ATC.
 ② No turn permitted below 1500ft.
 ③ Close in obstacles RWY 23 trees: 1109ft - 0.35NM / DER buildings: 1070ft - 0.15NM / DER

Changes: Track, RWY QFU, Note


VOR Z 05




GAF-DTTF

7-20

VOR Y 05




3.00°			5.6	5	4	3		83.0°	60 L
D GAF							05	2900 x 45	
048°			2600	2430	2120	1800			
RWY 046°									
THR 1027 (37hPa) / TDZ 1027 (---%) +0.4%									



05	VOR					Circling
C	ft - m/km ft	520 - 2.4 1540				1680 - 2.4V 2740
D	ft - m/km ft	520 - 2.4 1540				2100 - 3.6V 3160

VOR Z 23



VOR Y 23

