

GENERAL**Operational Hours****ATS Hours:** 2300-1700**AD ADMIN Hours:** MON-THU 0100-0930, FRI 0100-0830**Airport Information****RFF:** CAT 7**PCN:** RWY 13/31: 44/F/C/Y/T**Customs:** O/R**Operation****RWY Restriction**

One wheel locked turn is prohibited on RWY, TWY and APN.

TWY Restriction

TWY B, C, D and E for MIL use only.

Taxi**ARR**

- From RWY 13: taxi to APN via TWY F or instructed by ATC.
- From RWY 31: taxi to APN via TWY G or instructed by ATC.

DEP

- To RWY 13: taxi via TWY G or instructed by ATC.
- To RWY 31: taxi via TWY F or instructed by ATC.

Warnings

Air exercise in the southern airfield MAX ALT 5000ft.

Birds in vicinity of AD.

ARRIVAL**Arrival Procedure****VFR Traffic Pattern**

RWY 13 right-hand circuit.

DEPARTURE**Take-off Minima**

RWY		13/31	
All ACFT	ft - m/km	0 - 400V	HJ only
		0 - 800V	HN

Departure Procedure**Start-up/Push-back**

Engine start-up is prohibited on parking stand 6 before push back to the left completed.

SRG-WAHS


AFC

AFC

AFC

AFC

2-10



ATIS	126.000	2300-1400
APP	120.300	2300-1400
Yani TWR	122.300	2300-1400


Landing RWY system:

13 ML-N THR 13 (OhPa) / TDZ --- (---%) 0.0%


60 ML 45 x 2560|... 420
PAPI angle not AVBL
0.0% TDZ --- (---%) / THR 10 (0hPa) ML-S

**TRL 130
TA 11000**

3-20



3-21



12-JAN-2017
SRG-WAHS

Indonesia **Semarang** Ahmad Yani

SIDs RWY 31

SIDs RWY 13


SID

SID

Ahmad Yani **Semarang** Indonesia

SIDs RWY 31

SIDs RWY 13



Changes: MSA, PROC, OBST

© Lido 2016

12-JAN-2017
SRG-WAHS

Indonesia **Semarang** Ahmad Yani

Ahmad Yani **Semarang** Indonesia


4-20

SIDs RWY 31

SID

SID

SIDs RWY 31



Changes: PROC, MSA, OBST

12-JAN-2017

SRG-WAHS

5-10

SIDs RWY 13**BLORA 2C / KIDET 2A / PURWO 2C**

RWY 13 (129°)

DESIGNATOR	ROUTING	ALTITUDES
BLORA 2C BA 2C 120.300	LT intercept R114 ANY - at 1500 LT HDG 069° - intercept R090 ANY to BA (AWYs W45/G461)	
KIDET 2A 120.300	LT intercept R114 ANY - at 2000 LT HDG 245° to ANY - R301 ANY to KIDET (AWY W17N)	ANY MNM 6000
PURWO 2C 120.300	LT intercept R114 ANY - at 1500 RT intercept R120 ANY to PURWO (AWY W17N)	

Changes: PROC

12-JAN-2017

SRG-WAHS

5-20

SIDs RWY 31**SIDPT**

BLORA 3D / BLORA 3E / KIDET 3B / PURWO 3D / PURWO 3E
RWY 31 (309°)

DESIGNATOR	ROUTING	ALTITUDES
BLORA 3D BA 3D 120.300	at MNM 1500 RT HDG 110° - intercept R090 ANY to BA (AWYs W45/G461)	
BLORA 3E BA 3E 120.300	at MNM 2000 LT to ANY - R090 ANY to BA (AWYs W45/G461)	ANY MNM 6000
KIDET 3B 120.300	at MNM 2000 LT intercept R301 ANY to KIDET (AWY W17N)	
PURWO 3D 120.300	at MNM 1500 RT to ANY - R120 ANY to PURWO (AWY W17N)	ANY MNM 6000
PURWO 3E 120.300	at MNM 2000 LT to ANY - R120 ANY to PURWO (AWY W17N)	ANY MNM 6000

12-JAN-2017
SRG-WAHS

Indonesia **Semarang** Ahmad Yani

STARs RWY 31

STARs RWY 13

STAR


STAR

Ahmad Yani **Semarang** Indonesia

STARs RWY 31

STARs RWY 13

6-10



Changes: PROC, MSA, Track, OBST

SRG-WAHS

Indonesia **Semarang** Ahmad Yani

6-20


STARs RWY 31

STAR

STAR

Ahmad Yani **Semarang** Indonesia

STARs RWY 31





Changes: Track, MSA, PROC, OBST

© Iida 2016

SRG-WAHS

7-10

RNAV (GNSS) 13

[illegible]


13		RNAV GNSS VNAV 1) 2)	RNAV GNSS LNAV			Circling
C	ft - m/km ft	290 - 1.6V 300	490 - 2.7V 500			1590 - 4.0V 1600
D	ft - m/km ft	290 - 1.6V 300	490 - 2.7V 500			2090 - 5.0V 2100

1) Uncompensated BARO VNAV NA below 15°C (59°F)

2) With EVS VIS 1.1km


Changes: Completely revised

12-JAN-2017

SRG-WAHS**7-30****VOR DME 13**

Changes: new

VOR DME Circling



© Lido 2016