

GENERAL

Operational Hours

ATS Hours: 0700-1900 LT

ADMIN Hours: MON-FRI 0800-1200 LT, 1300-1700 LT

Airport Information

RFF: CAT 4, CAT 6 O/R

Fuel: MON-FRI PN before FRI 1700 LT.

SAT, SUN, HOL 48HRs PN.

PCN: RWY 12/30: 38/F/C/X/T.

Customs: O/R

Operation

TWY Restriction

TWY width 15m / 49ft.

ARRIVAL

Communication

COM Failure: See CRAR.

Arrival Procedure

VFR Traffic Pattern: RWY 12 right-hand circuit.

DEPARTURE

Take-off Minima

RWY		12/30
A, B, C	ft - m/km	c300 - 1.5v
D		Not applicable

26-JAN-2017

SON-NVSS

Vanuatu **Santo** Peko



AFC

AFC

AFC

Pekoa **Santo** Vanuatu

AGC

AFC



Info	118.100
------	---------

Landing RWY system:

12

2000 x 30 3.0° 60 L

THR 184 (7hPa) / TDZ 184 (---%)	-1.1%
---	-------

60 L **30 x 2000**
..... **3.0°**

+1.1% TDZ 112 (---%) / **THR 112** (4hPa)

30

TRL 130
TA 11000

Changes: Completely revised

Effective 02-FEB-2017

26-JAN-2017

SON-NVSS

Vanuatu Santo Pekoa

AGC

AGC

AGC

Pekoa Santo Vanuatu

AGC

3-20

Info 118.100

RWY	TORA	ASDA	TODA
12	2000	2050	2050
30	2000	2050	2050

SANTO
D 114.5 SON 412

ARP
S 15 30.3
E 167 13.3

APRON

TERMINAL

VAR 11° E
MAG UP

AD ELEV 184





Changes: APN, BLDG


SON-NVSS

7-10

RNAV (GNSS) 12




RNAV (GNSS) 30



SON-NVSS

7-30

NDB + DME 12






3.43° D SON 127° RWY 118°				5	4	3	12	83.0° 2000 x 30 60 L	
				1860	1500	1140		THR 184 (7hPa) / TDZ 184 (---%) -1.1%	
				D5 SON		D2		SON	
				1860	1860	127°			
				1400	780			MDA	
				DIST to THR	5	4.5	1.5	0	
12	NDB DME SON								Circling
C	ft - m/km ft	500 - 2.8V 680							840 - 3.7V 1020
D	ft - m/km ft	Not authorized							Not authorized

SON-NVSS

7-40

NDB + DME or NDB 30



30		NDB DME SON	NDB				Circling
C	ft - m/km ft	430 - 2.4V 540	490 - 2.8V 600				840 - 3.7V 1020
D	ft - m/km ft	Not authorized	Not authorized				Not authorized