

MBD-FAMM

1-10

AOI

AOI

GENERAL

Operational Hours

ATS Hours: MON-FRI 0600-1600; SAT CLSD; SUN 1200-1600; HOL see NOTAM.

AD Operator Hours: MON-FRI 0600-1430

Airport Information

RFF: CAT 2

Fuel: AVTUR 0500-1500, weekends and HOL on STDBY.

LCN: 100 ASPH

Operation

Traffic Note

APCH PROCs are partially outside the FAMM ATZ. Therefore pilots are to broadcast and monitor TIBA FREQ for TFC INFO when conducting APCH.

Remote switching of APCH and RWY lights

- 3 clicks on microphone button on TWR FREQ.
- 5 and 7 clicks increase light intensity.
- Lights will be switched OFF after 15min.
- SALS and PAPI not connected to remote switching.

TWY Restriction

TWYs leading to APN NE of terminal width unknown.

ARRIVAL

Communication

COM Failure: See CRAR.

Arrival Procedure

VFR Traffic Pattern: RWY 04 right-hand circuit.

DEPARTURE

Take-off Minima

RWY		04/22	
All ACFT	ft - m/km	0 - 400V	HJ only
		0 - 800V	HN

Communication

COM Failure: See CRAR.

MBD-FAMM

3-20

AGC

AGC

E025° 33'

TWR 119.300 Mon-Fri 0600-1600, Sun 1200-1600, HOL by NOTAM
ARCAL 119.300
TIBA 124.800

22
220°
4148

E025° 32'

E025° 33'

TERMINA

4490

— ARP —
S 25 48.4
E 025 32.7

VAR 17° W


MAG UP

AD ELEV 4181

MBD-FAMM

7-10


VOR A 04



MBD-FAMM

7-20

NDB B 04



1) At discretion of PIC only

- 1) At discretion
- 2) E of AD only