

**GENERAL****Operational Hours****ATS Hours:** CTAF**AD OPS Hours:** Attended OCT-APR, MON-FRI 1500-0200±**Airport Information****RFF:** O/R**Fuel:** SUN-SAT 1700-0200±**PCN:** RWY 08/26: 62/F/C/X/T**Operation****Traffic Note**

RWY and APCH lights are turned off when TWR CLSD, thereafter activation by CTAF.

**Warnings**

Seaplane OPS in summer and skiplane OPS in winter from Alexander Lake 1NM NE of AD. APCH/DEP from Alexander Lake crosses extended CL of RWY 08/26.

Numerous OBSTs in vicinity of RWY 07/25 not identified on terminal APCH plates.

VFR-activity in vicinity of AD.

Dike both ends of RWY 08/26.

Possible windshear below 2000ft on final APCH RWY 08/26.

**ARRIVAL****Speed**

MAX IAS 250KT below 10000ft.

**Communication****COM Failure:** See CRAR.**Warnings****RWY 08**

Uncontrolled vehicles may cross dike on final APCH.

**RWY 26**

First useable 297m / 975ft is concrete and may differ in appearance and braking action from remaining portion of RWY.

**DEPARTURE****Take-off Minima**

RWY		08/26	
1+2 ENG	ft - ft/SM	0 - 1.0V	-
3+4 ENG		0 - 0.5V	-

**Speed**

MAX IAS 250KT below 10000ft.

**Communication****COM Failure:** See CRAR.

Effective 13-SEP-2018

06-SEP-2018

GAL-PAGA

United States Galena Edward G Pitka Sr

AGC

AFC

AFC


AFC

Edward G Pitka Sr Galena United States

AGC


AFC

2-10



AWOS 3	132.525
Anchorage Center	127.000
CTAF	123.000 ARCAL
RCO (Fairbanks RDO)	122.200

Landing RWY system:



Changes: ALT, APL, RWY Designator, Track, VAR, AD ELEV

Effective 13-SEP-2018

06-SEP-2018

GAL-PAGA

United States Galena Edward G Pitka Sr

AGC


AGC

AGC

Edward G Pitka Sr Galena United States

AGC

3-20




Changes: RWY Designator, VAR, AD ELEV, DISPL THR, RWY elev

<b>Obstacle Departure</b>	
<b>RWY</b>	<b>Notes</b>
<b>08</b>	Dam 0ft from DER, 198ft right of centerline, 37ft AGL/165ft MSL. Trees beginning 18ft from DER, 298ft right of centerline, up to 22ft AGL/170ft MSL. Trees, terrain, traverse way beginning 50ft from DER, 340ft right of centerline, up to 24ft AGL/171ft MSL. Tree, dam beginning 232ft from DER, 443ft right of centerline, up to 18ft AGL/177ft MSL. Trees, traverse way beginning 247ft from DER, 351ft right of centerline, up to 40ft AGL/189ft MSL. Trees, traverse way beginning 575ft from DER, 179ft right of centerline, up to 43ft AGL/195ft MSL. Catenary 1439ft from DER, 876ft left of centerline, 44ft AGL/195ft MSL.
<b>26</b>	Navaid 26ft from DER, 85ft right of centerline, 2ft AGL/150ft MSL. Tree 55ft from DER, 498ft left of centerline, 6ft AGL/154ft MSL. Traverse way, trees beginning 211ft from DER, 499ft left of centerline, up to 169ft MSL. Tower, tree beginning 236ft from DER, 456ft right of centerline, up to 82ft AGL/210ft MSL. Trees, traverse way beginning 350ft from DER, 339ft left of centerline, up to 42ft AGL/193ft MSL. Trees beginning 2383ft from DER, 851ft right of centerline, up to 75ft AGL/214ft MSL.


## GAL-PAGA

**7-10**

## RNAV (GPS) 08



3.00° <b>RW08</b> <b>076°</b> RWY 077°	10.7	10	8	6	4	2	<div>08</div>	<div>122 1707 x 46 60 HL</div>	<div>THR 150 (5hPa) / <b>TDZ 152</b> (---%) 0.0%</div>
	3600	3380	2740	2110	1470	830			



08		RNAV GPS LPV	RNAV GPS VNAV 1)	RNAV GPS LNAV		Circling TERPS
C	ft - ft/SM ft	250 - 1.0V 410	260 - 1.0V 410	350 - 1.0V 500		600 - 1.5V 760
D	ft - ft/SM ft	250 - 1.0V 410	260 - 1.0V 410	350 - 1.0V 500		700 - 2.25V 860

1) Uncompensated BARO VNAV NA below -20°C (-4°F) or above 54°C (129°F)

## GAL-PAGA

7-20

## RNAV (GPS) 26

