

16-OCT-2014

MDY-PMDY**1-10****A01****A01****GENERAL****ATS Hours**

1900-0400±

AD open for approved and ETOPS ACFT only.

Airport Information**RFF:** FAA Index A / CAT 5**Fuel:** AVBL**Operation****Traffic Notes**

RWY and APCH lights are turned off when TWR CLSD, thereafter activation by pilot.

24HR PPR for LDG due to heavy bird activity.

Approved ACFT are only permitted during HRs of darkness between NOV-JUN due to heavy bird activity.

Maintain MNM ALT of 5000ft AMSL within 12NM of AD, except for TKOF and LDG.

RWY Restriction

RWY 06/24 PAEW 25ft from RWY edges.

Warnings

Water hazard on TWY A during and after rain.

Heavy bird activity in vicinity of AD. Check current status with Midway Radio.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR United States.**DEPARTURE****Take-off Minima**

RWY		06/24	
1+2 ENG	ft - ft/SM	0 - 1.0V	-
3+4 ENG		0 - 0.5V	-

Speed

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR United States.

25-FEB-2016
MDY-PMDY

United States Minor Outlying Islands **Midway Atoll** Henderson Fld

Henderson Fld **Midway Atoll** United States Minor Outlying Islands


3-20

AGC

AGC

AGC


AGC




25-FEB-2016

United States Minor Outlying Islands **Midway Atoll** Henderson Flid

IAC

MDY-PMDY**7-10****RNAV (GPS) 06**

3.00° RW06	5.1	5	4	3	2	06	3.0° 2377 x 46 60 HL	18 / 1hPa	TDZ ---%	-0.1%
	1700	1670	1350	1030	710					



06	RNAV GPS LNAV ⁽¹⁾	Circling ^(1) 2) TERPS
C	ft - ft/SM ft 450 - 1.38V 460	600 - 1.5V 620
D	ft - ft/SM ft 450 - 1.5V 460	700 - 2.25V 720

⁽¹⁾ Use with Henderson Field (PMDY) QNH only⁽²⁾ To RWY 24 HJ only


Changes: MIN, APL, FREQ, Editorial, AMDT No

Orig C


MDY-PMDY

7-20


RNAV (GPS) 24



25-FEB-2016

MDY-PMDY**7-30****NDB 06**

3.00°				3.6	3	2	06	3.0°	60 HL
RW06								2377 x 46	
055°				1200	1030	710			
RWY 059°								18 / 1hPa	TDZ ---% -0.1%



06	NDB	Circling TERPS
C	ft - ft/SM 550 - 1.5V 560	600 - 1.5V 620
D	ft - ft/SM 550 - 1.75V 560	700 - 2.25V 720

1) Use with Henderson Field (PMDY) QNH only

2) To RWY 24 HJ only




Changes: MIN, APL, FREQ, AMDT No

Orig B

MDY-PMDY

7-40

NDB 24



24		NDB HJ only ¹⁾					Circling TERPS ^{1) 2)}
C	ft - ft/SM ft	560 - 1.5V 560					600 - 1.5V 620
D	ft - ft/SM ft	560 - 1.75V 560					700 - 2.25V 720

1) Use with Henderson Field (PMDY) QNH only

2) To RWY 24 HJ only