

GENERAL**Operational Hours****ATS Hours:** 1000-2359**Airport Information****RFF:** CAT 5**PCN:** Not published**Operation****TWY Restrictions**

TWY B width 18m / 59ft.

TWY A width 17.5m / 57ft.

Taxi/Parking

Taxi at reduced speed and strictly follow TWY CL.

Taxi into/out of stands under own PWR, unless otherwise indicated by ATC.

Taxi out of stands in Comercial APN performing a right turn.

Engine Run-up

Engine tests not allowed BTN 0100-1100.

Warnings**LAR VOR** unusable:

R200-R340 within 20NM below FL150

R200-R340 between 20-30NM below FL220

ARRIVAL**Speed**

MAX IAS 250KT below FL100 within airspace classes B, C, D and G.

Communication**COM Failure:** See CRAR.**DEPARTURE****Take-off Minima**

RWY		03/21		
Multi ENG	ft - m/km	0 - 550V	HJ only	For conditions check CRAR
		0 - 800V	HN	

Speed

MAX IAS 250KT below FL100 within airspace classes B, C, D and G.

Communication**COM Failure:** See CRAR.**Departure Procedure****Noise Abatement Procedure:** Use TKOF PROC B.

IRJ-SANL


2-10

AGC
AFC

AFC

AFC

AFC



Landing RWY system:

APP	118.450
	119.150
TWR	118.450
	119.150


03

2806 x 30

THR 1449 (52hPa) / TDZ --- (---%)	-0.5%
-----------------------------------	-------

60 L **30 x 2806** **21**

 +0.5% | **TDZ --- (---%) / THR 1406 (50hPa)** |




Changes: New

01-MAR-2018

IRJ-SANL

7-10

ILS DME + VOR One 21




Changes: new

01-MAR-2018

IRJ-SANL

7-20

ILS DME + LCTR Two 21



Changes: new


01-MAR-2018

IRJ-SANL

7-30

VOR + LCTR Three 21

IAC



Changes: new