

**GENERAL**

**ATS Hours**

HS and O/R

**Airport Information**

**RFF:** CAT 4

**PCN:** RWY 07/25: 34/F/B/W/T

**Customs:** O/R

**Operation**

**TWY Restriction**

TWY width 15m / 49ft.

**ARRIVAL**

**Speed**

MAX IAS 250KT below FL100 not applied, except HLDG speed MAX IAS 230KT.

**DEPARTURE**

**Take-off Minima**

RWY		07/25	
A, B, C	ft - m/km	0 - 400V	HJ only
		0 - 800V	HN
D		Not applicable	-

**Speed**

MAX IAS 250KT below FL100 not applied, except HLDG speed MAX IAS 230KT.

09-NOV-2017  
TOM-GATB

Mali Tombouctou

AGC  
AFC


AFC

AFC

Tombouctou Mali


AGC  
AFC

2-10



Info 118.300 TWR HS

Landing RWY system:



Changes: LDA, Track, THR ELEV, SUAs


09-NOV-2017  
TOM-GATB

3-20


Mali Tombouctou  
AGC


AGC  
AGC

Tombouctou Mali  
AGC



Changes: Completely revised





60 L				30 x 2170		25		2	3	4	5			3.00°
								1550	1870	2190	2500			RW25
0.0%				TDZ --- (---%) / THR 860 (31hPa)										
TB504 [L] -				RW25		5		TB503		10		RW25		
POMBI [A2500+ ;K230-]												BIROV		
250° to TB504								2500						
LT direct POMBI								250°						
climb 2500														
(MISAP MAX 230KT)														
GS				120	140	160								
TB503				640	740	850								
-MAPt				2:29	2:08	1:52								
				0			5				10			
						MDA				1500				
												RW25 N16 44.1 W002 59.9		
												DIST to THR		
25				RNAV GNSS LNAV								Circling HJ only		
C		ft - m/km ft		400 - 1.8 1260								840 - 2.4V 1700		
D		ft - m/km ft		Not published								Not published		