GENERAL

Operational Hours

ATS Hours: Uncontrolled AD, CTAF

AD OPS Hours: Not published

Airport Information

RFF: Not published
Fuel: Not published
PCN: RWY 15/33: Unrated, Gravel
Customs: Not published

Operation

Traffic Note
ACFT with more than 10 seats are required to contact AD OPR 2HRs prior to ARR for RWY inspection.

Transponder Operation
For details on Transponder Mode S Operation see CRAR Australia.

ARRIVAL

Speed

MAX IAS 250KT below 10000ft.

Communication

COM Failure: See CRAR Australia.

Arrival Procedure

Noise Abatement Procedure: See CRAR Australia.

DEPARTURE

Take-off Minima

RWY		15/33	
Multi-ENG	ft - m/km	0 - 800V	-
other		c300 - 2.0V	-

Speed

MAX IAS 250KT below 10000ft.

Communication

COM Failure: See CRAR Australia.

Departure Procedure

Noise Abatement Procedure: See CRAR Australia.

© Lido 2016

22-SEP-2016

BQW-YBGO

2-10

Australia **Balgo Hill** AGC **AFC**

AFC AFC

Balgo Hill Australia AGC **AFC**



Brisbane Center	118.900 On ground
CTAF	126.700

Landing RWY system:



Changes: new

© Lido 2016

E127°58.5'

E127°58.8'

Brisbane Center	118.900	On ground
CTAF	126.700	

RWY	TORA	ASDA	TODA
15	1610	1610	1670
33	1610	1610	1670

15
143°
1396

ARP
S 20 08.9
E 127 58.4

APRON

GRAVEL 1610 x 30 GRAVEL

S20°09'

S20°09.5'

33
323°
1440

VAR 3° E
MAG UP

AD ELEV **1440**

m 0 250 500

ft 0 500 1000 1500

© **Lido** 2016

Australia **Balgo Hill**

22-SEP-2016

BQW-YBGO

7-10

RNAV (GNSS) Z 15



3.00° RW15 144° RWY 143°				4.3	4	3	
				2800	*2720*	*2410*	

15

Gravel surface

1610 x 30

THR **1396** (50hPa) / TDZ --- (---%) +0.8%



GS	120	140	160
4.3 RW15 -MAPt	*640* *2:08*	*740* *1:49*	*850* *1:36*

15		RNAV GNSS LNAV 1)					Circling 1)
C	ft - m/km ft	500 - 2.7V **1890**					700 - 4.0V **2140**
D	ft - m/km ft	Not applicable					Not applicable

1) Minima may be reduced by 100ft with actual QNH

Changes: new

© Lido 2016

22-SEP-2016

BQW-YBGO

7-20

RNAV (GNSS) 33



Gravel surface

30 x 1610

-0.8%

TDZ --- (---%) / **THR 1440** (51hPa)

33

2	3	4	5.5			3.00°
2200	*2520*	*2840*	3300			BGOSM 324°
						RWY 323°



33		RNAV GNSS LNAV[1]					Circling [1]
C	ft - m/km ft	600 - 3.4V **2040**					750 - 4.0V **2190**
D	ft - m/km ft	Not applicable					Not applicable

1) Minima may be reduced by 100ft with actual QNH

Changes: new

© Lido 2016