

GENERAL**Operational Hours****ATS Hours:** H24**AD ADMIN Hours:** 0700-1500, permanence outside OPS HRs**Airport Information****RFF:** CAT 8**PCN:** RWY 04/22: 55/F/B/W/T**Customs:** 0700-1500, other times O/R**Operation****RWY Restriction**

180° turns for ACFT with more than 40t / 88185lbs, permitted on RWY ends only.

TWY Restriction

TWY M width 15m / 49ft, AVBL up to B737.

TWY F width 11m / 36ft.

TWY G width 6m / 20ft.

ARRIVAL**Arrival Procedure****VFR Traffic Pattern**

RWY 04 right-hand circuit.


DEPARTURE**Take-off Minima**

| RWY | | 04/22 | |
|----------|-----------|----------|---|
| All ACFT | ft - m/km | 0 - 400v | - |

Gnassingbe Eyadema Intl **Lome** Togo



Changes: APN, HLDG POS, OFU, Parkingstand, hot spots, BLDG



06-OCT-2016

LFW-DXXX

Togo Lome Gnassingbe Eyadema Intl

RNAV (VOR DME) SIDs RWY 22

4-10

RNAV (VOR DME) SIDs RWY 04


SID

SID

Gnassingbe Eyadema Intl Lome Togo

RNAV (VOR DME) SIDs RWY 22

RNAV (VOR DME) SIDs RWY 04



Changes: Nil

LFW-DXXX


4-20 RNAV (VOR DME) SIDs RWY 22

SID

SID

Gnassingbe Eyadema Intl **Lome** Togo

RNAV (VOR DME) SIDs RWY 22



Changes: Editorial

© Lido 2016

LFW-DXXX

Togo **Lome** Gnassingbe Eyadema Intl

STARs RWY 04 (I ARRs)

RNAV ARRIVALs


STAR

STAR

Gnassingbe Eyadema Intl **Lome** Togo

STARs RWY 04 (I ARRs)

RNAV ARRIVALs



Changes: chart layout, ASP, PROC, Track, VAR, OBST, Note

© Lido 2016

03-MAR-2016

LFW-DXXX

Togo Lome Gnassingbe Eyadema Intl

6-20


STARs RWY 04 (I ARRs)

STAR

STAR

Gnassingbe Eyadema Intl Lome Togo

STARs RWY 04 (I ARRs)



Changes: Track, ASP, chart title, DIST, VAR, OBST, SUAs

03-MAR-2016

LFW-DXXX

Togo Lome Gnassingbe Eyadema Intl

STARs RWY 22 (L ARRs)

6-30

STARs RWYs 04/22 (D, V ARRs)


STAR

STAR

Gnassingbe Eyadema Intl Lome Togo

STARs RWY 22 (L ARRs)

STARs RWYs 04/22 (D, V ARRs)



Changes: chart title, Navaid LME, SUAs, VAR, OBST, AWY

03-MAR-2016

LFW-DXXX

Togo Lome Gnassingbe Eyadema Intl

6-40


STARs RWY 22 (L ARR)

STAR

STAR

Gnassingbe Eyadema Intl Lome Togo

STARs RWY 22 (L ARR)



Changes: ASP, Track, chart title, SUAs, VAR, OBST, AWY




LFW-DXXX

Togo **Lome** Gnassingbe Eyadema Intl

IAC

7-10

ILS Z or LOC Z 22






| 22 | | Cat 1 DME 1) 2) | LOC DME | LOC DME APL U/S | | Circling HJ only |
|-----------|-----------------|---------------------------|-------------------------|---------------------------|--|----------------------------|
| C | ft - m/km ft | 240 - 600 310 | 420 - 1.2 490 | | | 720 - 2.4V 790 |
| D | ft - m/km ft | 250 - 600 320 | 420 - 1.4 490 | 420 - 2.0 490 | | 720 - 3.6V 790 |

1) FD, AP or HGS required, else RVR 750m

2) With EVS 550m

Changes: QFU, OBST, SUAs






| 22 | | Cat 1 DME 1) 2) | LOC DME | LOC DME APL U/S | | Circling HJ only |
|-----------|-----------------|---------------------------|-------------------------|---------------------------|--|----------------------------|
| C | ft - m/km ft | 240 - 600 310 | 420 - 1.2 490 | | | 720 - 2.4V 790 |
| D | ft - m/km ft | 250 - 600 320 | 420 - 1.4 490 | 420 - 2.0 490 | | 720 - 3.6V 790 |

1) FD, AP or HGS required, else RVR 750m


2) With EVS 550m

Changes: QFU, OBST, SUAs, Editorial

RNAV (GNSS) 04





3.0° 60 HL
3000 x 45
62 / 2hPa TDZ ---% 0.0%



| | | | |
|-------|------|------|------|
| GS | 120 | 140 | 160 |
| LM014 | 640 | 740 | 850 |
| -MAPt | 1:54 | 1:38 | 1:25 |

| 04 | | RNAV GNSS LNAV | | | | | Circling HJ only |
|----|-----------------|-------------------|--|--|--|--|---------------------|
| C | ft - m/km ft | 580 - 2.4 640 | | | | | 720 - 2.4V 790 |
| D | ft - m/km ft | 580 - 2.4 640 | | | | | 720 - 3.6V 790 |




23-AUG-2018
LFW-DXXX

Togo Lome Gnassingbe Eyadema Intl


IAC

7-50

VOR Z 04
D 115.3 LM



| | | | | | | | | | | | | | |
|----------|--|------|------|------|------|-----|----|------|-------|-----------|-----------|----------|------|
| 3.03° | | 8.1 | 8 | 7 | 6 | 4 | 04 | 3.0° | 60 HL | 3000 x 45 | 62 / 2hPa | TDZ ---% | 0.0% |
| D LM | | | | | | | | | | | | | |
| 043° | | | | | | | | | | | | | |
| RWY 042° | | 2000 | 1980 | 1660 | 1330 | 690 | | | | | | | |



| 04 | | VOR DME | | | | Circling HJ only | |
|----|-----------------|------------------|--|--|--|---------------------|--|
| C | ft - m/km ft | 580 - 2.4 640 | | | | 720 - 2.4V 790 | |
| D | ft - m/km ft | 580 - 2.4 640 | | | | 720 - 3.6V 790 | |


Changes: QFU, OBST, SUAs

23-AUG-2018


LFW-DXXX

7-60

VOR Y 04




| | | | | | | | | | |
|----------|--|--|--|------|------|------|----|-----------|---------------|
| 3.00° | | | | 6.6 | 6 | 5 | | 3.0° | 60 HL |
| D LM | | | | | | | 04 | 3000 x 45 | |
| 043° | | | | 1500 | 1320 | 1000 | | | |
| RWY 042° | | | | | | | | 62 / 2hPa | TDZ ---% 0.0% |



| 04 | VOR | | | | | | Circling HJ only |
|----|-----------------|------------------|--|--|--|--|---------------------|
| C | ft - m/km ft | 630 - 2.4 690 | | | | | 720 - 2.4V 790 |
| D | ft - m/km ft | 630 - 2.4 690 | | | | | 720 - 3.6V 790 |

VOR 22



LFW-DXXX


NIL
MRC

MRC

MRC

NIL
MRC

8-10



Changes: new

© Lido 2018