

AXD-LGAL

1-10

A01**GENERAL****Operational Hours****ATS Hours / AD ADMIN Hours:** HO**Airport Information****RFF:** CAT 6**PCN:** RWY 07/25: 53/F/B/X/U**Customs:** 24HR PN**Operation****RWY Restriction**

ACFT with MTOW more than 5.7t / 12500lbs turn on turning circles on either end of RWY.

Taxi/Parking

All movements on APN use MNM power.

Warnings

Birds in vicinity of AD.

DEPARTURE**Take-off Minima**

RWY		07/25	
All ACFT	ft - m/km	0 - 400V	-

De-Icing

Not AVBL.

Effective 13-SEP-2018

06-SEP-2018

AXD-LGAL

Greece Alexandroupolis Dimokritos

AGC

AFC

AFC


AFC

Dimokritos Alexandroupolis Greece

AGC


AFC

2-10



APP 123.800 HO 122.100 HO
TWR 123.800 HO 122.100 HO

Landing RWY system:



Changes: PROC, WPT, HLDG, OBST, VAR

Effective 13-SEP-2018

06-SEP-2018

AXD-LGAL

Greece Alexandroupolis Dimokritos

AGC


AGC

AGC

Dimokritos Alexandroupolis Greece

AGC

3-20



Effective 13-SEP-2018

06-SEP-2018

AXD-LGAL

Greece Alexandroupolis Dimokritos

SIDs RWY 25

SIDs RWY 07


SID

SID

Dimokritos Alexandroupolis Greece

SIDs RWY 25

SIDs RWY 07



Changes: PROC, Track, ALT, OBST, VAR

Effective 13-SEP-2018

06-SEP-2018

AXD-LGAL

Greece Alexandroupolis Dimokritos

SID


SID

Dimokritos Alexandroupolis Greece

SIDs RWY 25

SIDs RWY 25

4-20



Changes: PROC, Track, ALT, OBST, VAR

AXD-LGAL

5-10

SIDs RWY 07

ALEX 1B / IDILO 1B / LIMNOS 1B

RWY 07 (069°)

	GS	120	150	180	210	240	270
5.5%	ft/MIN	700	900	1100	1200	1400	1600

DESIGNATOR	ROUTING	ALTITUDES
	Runway 07	
ALEX 1B 5.5% to MEA 123.800	at MNM 500 RT (MAX 210KT) 248° - follow AWY G33 - at MNM 3000 RT (MAX 210KT) direct ALX / ALP	ALX / ALP MNM FL75
IDILO 1B 5.5% to MEA 123.800	at MNM 500 RT (MAX 210KT) 273° - follow AWY G12 to IDILO	
LIMNOS 1B LMO 1B 5.5% to MEA 123.800	at MNM 500 RT (MAX 210KT) 248° - follow AWY G33 to LMO	

AXD-LGAL

5-20

SIDs RWY 25

ALEX 1C / IDILO 1C / LIMNOS 1C

RWY 25 (249°)

	GS	120	150	180	210	240	270
5.5%	ft/MIN	700	900	1100	1200	1400	1600

DESIGNATOR	ROUTING	ALTITUDES
	Runway 25	
ALEX 1C 5.5% to MEA 123.800	at MNM 500 LT (MAX 210KT) intercept R231 ALX / QDR 231 ALP - at MNM 3000 LT (MAX 210KT) direct ALX / APL	ALX / ALP MNM FL75
IDILO 1C 5.5% to MEA 123.800	at MNM 500 LT (MAX 210KT) intercept R231 ALX / QDR 231 ALP - at MNM 3000 RT (MAX 210KT) follow AWY G12 to IDILO	
LIMNOS 1C LMO 1C 5.5% to MEA 123.800	at MNM 500 LT (MAX 210KT) intercept R231 ALX / QDR 231 ALP - at MNM 3000 LT (MAX 210KT) follow AWY G33 to LMO	

Effective 13-SEP-2018

06-SEP-2018

AXD-LGAL

Greece Alexandroupolis Dimokritos

NIL

STARs

STAR


STAR

Dimokritos Alexandroupolis Greece

NIL

STARs

6-10




Changes: VAR, OBST

AXD-LGAL

7-10

VOR DME 07

[illegible]

1) Timing to determine MAPt NA




2) S of RWY only

Changes: OBST, VAR

AXD-LGAL

7-20

NDB 07



07		NDB					Circling ¹⁾
C	ft - m/km ft	630 - 2.5 640					1100 - 2.4V 1120
D	ft - m/km ft	630 - 2.5 640					1250 - 3.6V 1270

1) S of RWY only

Changes: Speed RESTR, MSA, VAR, OBST