

GENERAL

Operational Hours

ATS Hours / AD ADMIN Hours

MON-SAT 0230-0900, Hindustan Aeronautics Limited HOL and SUN CLSD. Other times O/R.

Airport Information

RFF: CAT 9

PCN: RWY 09/27: 72/R/B/X/T (up to 700m / 2296ft from both THR)
65/F/A/X/T (1600m / 5249ft in the middle of RWY)

Customs: 0430-1230

Operation

TWY Restriction

TWY C an E AVBL for CIV OPS only.

Taxi

RWY 27: Execute right 180°-turn for line-up after back track. Left 180°-turn is not permitted to prevent FOD to ACFT at HLDG point.

Warnings

Arresting Gear Systems

Net type Arrestor Barrier installed for both RWYs. Postion 35m / 115ft from THR marking. Stanchion height 7.5m / 25ft and net center height 4.7m / 15.4ft.

Airspace within 1500m / 4921ft radius around N20 04.2 E073 51.5, 227°/8000m/26247ft from ARP. All ACFT to exercise caution and avoid over flying this location.

Birds in vicinity of AD.

DEPARTURE

Take-off Minima

RWY		09/27	
All ACFT	ft - m/km	0 - 800V	-

01-FEB-2018
N/A-VAOZ

India Ozar

AGC

AFC


AFC

AFC

Ozar India


AGC

AFC



RAD	120.600
APP	120.600 122.700
TWR	123.500

Landing RWY system:



Changes: new

01-FEB-2018
N/A-VAOZ


3-20

India Ozar
AGC

AGC

AGC

Ozar India
AGC



Changes: new

01-FEB-2018




N/A-VAOZ

India Ozar

IAC

7-10

NDB Circling



09/27						Circling
C	ft - m/km ft					610 - 2.4V 2600
D	ft - m/km ft					700 - 3.6V 2700

Changes: new