

GENERAL**Operational Hours****ATS Hours / AD ADMIN Hours:** 0400-2000±

Outside HR, service AVBL O/R with 1 day PN not later than 1500±.

Airport Information**RFF:** CAT 7**PCN:** RWY 03/21: 28/R/G/X/T**Customs:** H24**Operation****RWY Restrictions**

ACFT above 30t / 66139lbs perform 180° turns at RWY ends only.

TWY Restrictions

TWY A1, A3 width 18m / 59ft.

TWY A2, C CLSD.

TWY A3, B only for taxiing up to code letter 1A ACFT from/to stands.

ACFT above 30t / 66139lbs taxi on TWY A1 only.

ARRIVAL**Communication****COM Failure:** See CRAR.**DEPARTURE****Take-off Minima**

RWY		03/21	
All ACFT	ft - m/km	0 - 400V	HJ only
		0 - 800V	HN

Communication**COM Failure:** See CRAR.**De-icing**

AVBL

KHE-UKOH


2-10

AGC
AFC

AFC


AFC


AGC
AFC



TWR 121.200 0400-2000+

Landing RWY system:





KHE-UKOH


SIDs RWY 03

SID

SID

SIDs RWY 03

4-10



Changes: PROC, ASP, QNH Table

© Lido 2018

Effective 16-AUG-2018

09-AUG-2018

KHE-UKOH

Ukraine Kherson Kherson Intl

SID


SID

Kherson Intl Kherson Ukraine

SIDs RWY 21

SIDs RWY 21

4-20



Changes: PROC, ASP, QNH Table

KOSAK 1A / RAPUL 1A / RITED 2A

RWY 03 (026°)

	GS	120	150	180	210	240	270
7.5%	ft/MIN	1000	1200	1400	1600	1900	2100

DESIGNATOR	ROUTING	ALTITUDES
	Runway 03	
KOSAK 1A 121.200 ①	at MNM 2470 RT direct HE - 237° to KOSAK	HE MNM 4930 KOSAK MNM 10010
RAPUL 1A 121.200 ①	at MNM 2470 RT direct HE - 259° to RAPUL	HE MNM 4930 RAPUL MNM 8040
RITED 2A 7.5% to 9030 121.200 ①	at MNM 2470 RT 116° - LT intercept QDR 064 HE to RITED	RITED MNM 9030

① If unable to comply with departure procedures, advise ATC.

KOSAK 2B / RAPUL 2B / RITED 2B

RWY 21 (206°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 21	
KOSAK 2B 121.200 ①	at MNM 2470 RT intercept QDR 237 HE to KOSAK	KOSAK MNM 10010
RAPUL 2B 121.200 ①	at MNM 2470 RT 304° - LT intercept QDR 258 HE to RAPUL	RAPUL MNM 8040
RITED 2B 121.200 ①	at MNM 2470 LT 355° - RT intercept ODR 064 HE to RITED	RITED MNM 9030

① If unable to comply with departure procedures, advise ATC.

Effective 16-AUG-2018

09-AUG-2018

KHE-UKOH

Ukraine Kherson Kherson Intl

NIL

STARs

STAR


STAR

Kherson Intl Kherson Ukraine

NIL

STARs

6-10




Changes: ASP, PROC renumbered, HLDG, Note


KHE-UKOH

7-10

ILS 03



RW03			4.1	3	2	1	03	<div><div></div><div>83.0°</div><div>60 L</div></div>
			1480	1150	830	510		
L-S THR 137 (5hPa) / TDZ --- (---%) 0.0%								






03	Cat 1 ₁₎	LOC			Circling
C	ft - m/km ft	270 - 1.1 400	Not authorized		750 - 2.4V 890
D	ft - m/km ft	280 - 1.1 410	Not authorized		1030 - 3.6V 1170

1) With EVS 750m

KHE-UKOH

7-20

NDB 03






03		NDB		Circling	
C	ft - m/km ft	430 - 1.8 560		750 - 2.4V 890	
D	ft - m/km ft	430 - 1.8 560		1030 - 3.6V 1170	

KHE-UKOH

7-30

NDB 21



21	NDB					Circling
C	ft - m/km ft	510 - 2.1 640				750 - 2.4V 890
D	ft - m/km ft	510 - 2.1 640				1030 - 3.6V 1170