

GENERAL**Operational Hours****ATS Hours:** H24**AD ADMIN Hours:** 1200-0500†, other times O/R 48HR PN**Airport Information****RFF:** CAT 9**Fuel:** 1200-0500†, other times O/R 48HR PN**PCN:** RWY 05/23: 57/F/B/X/U**Customs:** 1200-0500†, other times O/R 48HR PN**Operation****RWY Restriction**

180° turns on turning pads at RWY ends only.

TWY Restrictions

TWY A, C strength MAX 24t / 52911lbs.

TWY B for MIL ACFT only.

Warnings

Birds in vicinity of AD.

DEPARTURE**Take-off Minima**

RWY		05/23	
All ACFT	ft - m/km	0 - 800V	-

Communication**COM Failure****RWY 05/23 RNAV CCO**

Within 5min after TKOF, and if it is not convenient to finish the flight, continue on assigned SID and/or RTE, climb to FL160 or request FL in FPL, whichever is lower. 10min after TKOF, climb to request FL in FPL if it is higher than FL160, except ACFT overflying GHANN, ERRCA or OVALU climb only to FL270.

Effective 19-JUL-2018

12-JUL-2018

HOG-MUHG

Cuba Holguin Frank Pais Intl

AGC

AFC

AFC


AFC

Frank Pais Intl Holguin Cuba

AGC


AFC

2-10



APP 119.400
TWR 118.000
Camaguey RDO 126.900

Landing RWY system:



Changes: PROC, TOPO, Editorial

Effective 19-JUL-2018

12-JUL-2018

HOG-MUHG

Cuba Holguin Frank Pais Intl

AGC


AGC

AGC

Frank Pais Intl Holguin Cuba

AGC

3-20



Changes: Nil

Effective 19-JUL-2018

12-JUL-2018

HOG-MUHG

4-10


Cuba Holguin Frank Pais Intl
[RNAV SIDS RWY 23 (CCO)]

SID

SID

Frank Pais Intl Holguin Cuba
[RNAV SIDS RWY 23 (CCO)]

RNAV SIDS RWY 05 (CCO)



Changes: PROC, renamed, OBST, Editorial, Transition

HOG-MUHG


Cuba Holguin Frank Pais Intl

SID
SID

Frank Pais Intl Holguin Cuba

4-20 RNAV SIDs RWY 23 (CCO)

RNAV SIDs RWY 23 (CCO)



HOG-MUHG

5-10

RNAV SIDs RWY 05 (CCO)

BOKTI 3A / KESTU 2A / PEMDA 1

RWY 05 (054°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 05	
BOKTI 3A 119.400	at MNM 2000 LT direct HG608 - BOKTI	HG608 MAX FL50
	FMS 054° [A2000+ ;L] - DCT HG608 - BOKTI	
	TRANSITION	
	ANETU BOKTI - ANETU	
	IKMIL BOKTI - IKMIL	
KESTU 2A 119.400	at MNM 2000 RT direct KESTU	KESTU MAX FL80
	FMS 054° [A2000+ ;R] - DCT KESTU	
	TRANSITION	
	SANTIAGO DE CUBA (UCU) KESTU - UCU	
PEMDA 1 119.400	PEMDA	
	FMS 054° <u>PEMDA</u>	
	TRANSITION	
	GHANN PEMDA - DCT <u>GHANN</u>	
	MOA (UMO) PEMDA - DCT UMO	
	URLAM PEMDA - DCT <u>URLAM</u>	

HOG-MUHG

5-20

RNAV SIDs RWY 05 (CCO)

XOSOT 2

RWY 05 (054°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 05	
XOSOT 2 119.400	PEMDA - XOSOT	
	FMS 054° <u>PEMDA</u> - XOSOT	
	TRANSITION	
	BORDO XOSOT - <u>BORDO</u>	
	DYNAH XOSOT - <u>DYNAH</u>	
	ENAMO XOSOT - ENAMO	
	URSUS XOSOT - URSUS	

BEMUV 2 / KEKSA 1 / KESTU 2C / NAGSI 2B

RWY 23 (234°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 23	
BEMUV 2 119.400	at MNM 1500 RT direct HG609 - BEMUV	
	FMS 234° [A1500+ ;R] - DCT HG609 - BEMUV	
	TRANSITION	
	BORDO BEMUV - <u>BORDO</u>	
	DYNAH BEMUV - <u>DYNAH</u>	
	ENAMO BEMUV - ENAMO	
KEKSA 1 119.400	URSUS BEMUV - URSUS	
	at MNM 2000 LT direct HG610 - KEKSA	HG610 MNM FL50
	FMS 234° [A2000+ ;L] - DCT HG610 - KEKSA	
	TRANSITION	
KESTU 2C 119.400	GHANN KEKSA - <u>GHANN</u>	
	at MNM 1500 LT direct KESTU	KESTU MAX FL80
	FMS 234° [A1500+ ;L] - DCT KESTU	
	TRANSITION	
	MOA (UMO) KESTU - UMO	KESTU MAX FL80
NAGSI 2B 119.400	URLAM KESTU - <u>URLAM</u>	KESTU MAX FL80
	at MNM 1500 RT direct NAGSI	
	FMS 234° [A1500+ ;R] - DCT NAGSI	
	TRANSITION	
	ANETU NAGSI - ANETU	

HOG-MUHG

5-40

RNAV SIDs RWY 23 (CCO)

NAGSI 2B / RAGIK 1B

RWY 23 (234°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 23	
NAGSI 2B 119.400	TRANSITION	
	IKMIL NAGSI - IKMIL	
RAGIK 1B 119.400	at MNM 1500 LT direct RAGIK	
	FMS 234° [A1500+ ;L] - DCT RAGIK	
	TRANSITION	
	SANTIAGO DE CUBA (UCU) RAGIK - UCU	

12-JUL-2018

HOG-MUHG


6-10

Cuba Holguin Frank Pais Intl
 RNAV STARS RWY 23 (CDO)
RNAV STARS RWY 05 (CDO)

STAR


STAR

Frank Pais Intl **Holguin** Cuba
 RNAV STARS RWY 23 (CDO)
 RNAV STARS RWY 05 (CDO)





ILS 05



© Lido 2017


22-JUN-2017

HOG-MUHG

7-30

RNP 05

IAC




Changes: Editorial

22-JUN-2017


HOG-MUHG

7-40

RNP 23



2	3	4	5	6	6.9	3.00°
1050	1370	1690	2010	2330	2600	RW23



23	RNP VNAV 1) 2)	RNP LNAV				Circling
C	ft - m/km ft	390 - 1.8V 750	620 - 3.4V 980			1190 - 4.8V 1550
D	ft - m/km ft	390 - 1.8V 750	620 - 3.4V 980			1190 - 4.8V 1550

1) Uncompensated BARO VNAV NA below +15°C (59°F)

2) With EVS VIS 1.2km


Changes: ALT

22-JUN-2017

HOG-MUHG


7-50

VOR 05



Changes: Nil

VOR 23



Effective 12-OCT-2017

05-OCT-2017

HOG-MUHG

8-10

Cuba Holguin Frank Pais Intl


NIL
MRC

MRC

MRC

Frank Pais Intl Holguin Cuba

NIL
MRC



Changes: Navaid UFP withdrawn, OBST