

GENERAL**Operational Hours****ATS Hours:** 0330-1800**AD ADMIN Hours:** MON- FRI 0500-1400. SAT, SUN, HOL: CLSD.

Check NOTAM for changes in HRs of OPS.

Airport Information**RFF:** CAT 8. Outside AD HRs by PN not later than 1400.**PCN:** RWY 08/26: 60/F/A/W/T**Operation****Taxi/Parking**

For parking instructions contact APN CTL on 121.600.

Marshaller for parking is compulsory.

Warnings

Birds in vicinity of AD.

ARRIVAL**Arrival Procedure****VFR Traffic Pattern:** RWY 08 right-hand circuit.**DEPARTURE****Take-off Minima**

RWY		08/26	
All ACFT	ft - m/km	0 - 400v	-

Departure Procedure**Start-up/Push-back:** REQ push-back and start-up CLR on 121.600.

Effective 16-AUG-2018

09-AUG-2018

EDL-HKEL

Kenya Eldoret Eldoret Intl

AGC

AFC

AFC


AFC

Eldoret Intl Eldoret Kenya

AGC

AFC

2-10



RAD 121.100
APP 119.400 0330-1800
121.100 0330-1800
TWR 120.800 0330-1800
APN 121.600

Landing RWY system:

08 3500 x 45 83.0° 60 HL
Edge lights length 3480
THR 6842 (222hPa) / TDZ --- (---%) +0.9%

26 45 x 3500 3.0° 8 60 HL
Edge lights length 3420
-0.9% TDZ --- (---%) / THR 6945 (225hPa)

Changes: PROC

Effective 16-AUG-2018

09-AUG-2018

EDL-HKEL

Kenya Eldoret Eldoret Intl

AGC


AGC

AGC

Eldoret Intl Eldoret Kenya

AGC

3-20



Changes: Nil

EDL-HKEL




DEPARTURES

SID

SID

NIL

DEPARTURES



Changes: new

© Lido 2018

09-AUG-2018

EDL-HKEL

5-10

DEPARTURES**SIDPT****RWY 08 DEP / RWY 26 DEP**

RWYs 08 (078°) / 26 (258°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 08	
RWY 08 DEP	RT direct NAK - RT direct GV	
	Runway 26	
RWY 26 DEP	LT direct NAK - RT direct GV	


01-FEB-2018
EDL-HKEL

Kenya Eldoret Eldoret Intl
[RNAV STARS RWY 26 (CDO)]
6-10 RNAV STARS RWY 08 (CDO)

STAR

STAR

Eldoret Intl Eldoret Kenya
[RNAV STARS RWY 26 (CDO)]
RNAV STARS RWY 08 (CDO)




01-FEB-2018
EDL-HKEL

Kenya Eldoret Eldoret Intl
6-20 RNAV STARS RWY 26 (CDO)

STAR
STAR

Eldoret Intl Eldoret Kenya
RNAV STARS RWY 26 (CDO)



EDL-HKEL


**STARs RWYs 08/26**

STAR

STAR

NIL

STARs RWYs 08/26



Changes: PROC, chart title, Note


© Lido 2018

01-FEB-2018


EDL-HKEL

7-10

ILS DME 08



LOC 3.00° D ELD	10.4	9	8	7	5	3	08	83.0°	60 HL
	10000	9560	9240	8920	8280	7640		3500 x 45	Edge lights length 3480
									THR 6842 (222hPa) / TDZ --- (---%) +0.9%



08	Cat 1 DME	LOC DME			Circling
C	ft - m/km ft	330 - 1.5 7170 ¹⁾	460 - 2.1 7300		Not authorized
D	ft - m/km ft	350 - 1.6 7190 ²⁾	460 - 2.1 7300		Not authorized

1) With EVS 1.0km

2) With EVS 1.1km

Changes: APL


01-FEB-2018
EDL-HKEL

Kenya Eldoret Eldoret Intl


IAC

7-30

RNP 08



3.00° RW08	9.8	9	7	5	3	2	08	83.0°	60 HL
	10000	9760	9120	8490	7850	7530		3500 x 45	Edge lights length 3480
THR 6842 (222hPa) / TDZ --- (---%) +0.9%									



08		RNP VNAV 1) 2) 3)	RNP LNAV	Circling	
C	ft - m/km ft	350 - 1.6 7190	460 - 2.1 7300		Not authorized
D	ft - m/km ft	350 - 1.6 7190	460 - 2.1 7300		Not authorized

1) SBAS use for VNAV not applicable or not authorized
2) Uncompensated BARO VNAV NA below 10°C (50°F)
3) With EVS 1.1km

Changes: chart title, MIN, APL

© Lido 2018


01-FEB-2018
EDL-HKEL

Kenya Eldoret Eldoret Intl

IAC

7-40

RNP 26



60 HL 3.0°8				45 x 3500		26		3	4	5	6	9.4	3.00° RW26	
Edge lights length 3420				-0.9% TDZ --- (---%) / THR 6945 (225hPa)				7950	8270	8590	8910	10000		
258° at MNM 9000 LT (Do not turn before MAPt) direct UVANA climb FL110				RW26		6.3 EL009		9.4 EL010		11.3 RW26				
GS		140	160	180									RW26 N00 24.4 E035 15.1	
EL009		740	850	960										
-MAPt		NA	NA	NA										
		0		5		6.3		10		DIST to THR				
26		RNP LNAV										Circling		
C	ft - m/km ft	680 - 2.4 7630										Not authorized		
D	ft - m/km ft	680 - 2.4 7630										Not authorized		

Changes: chart title, MIN, APL

VOR 08

