

GENERAL

Operational Hours

ATS Hours: See NOTAM

AD OPS Hours: H24

AD ADMIN Hours: MON-FRI 0600-2000±, SUN 1400-1800±

Airport Information

RFF: CAT 5, higher CAT AVBL O/R

PCN: RWY 16/34: 30/F/B/X/U

Customs: O/R

Operation

TWY Restriction

TWY B with 15m / 49ft,

TWY B not approved for code letter 4c ACFT.


DEPARTURE

Take-off Minima

RWY		16/34	
All ACFT	ft - m/km	0 - 300R/300V	-


De-Icing

AVBL




AFS 129,855 HO

Landing RWY system:



Changes: FREQ




DEPARTURES

		GS	120	150	180	210	240	270	
	5.0%	ft/MIN	700	800	1000	1100	1300	1400	
RWY	Routing								
OMNIDIRECTIONAL DEP	RWY 16 5.0% RWY HDG - climb until MNM turning ALT 2100 . Continue climb to appropriate MSA.								
	RWY 34 RWY HDG - climb until MNM turning ALT 1500 . Continue climb to appropriate MSA. Sector 284° - 314° GEO from ARP not to be entered until ALT 2900 is reached.								


MXX-ESKM

7-10

ILS 16



RW16 158° RWY 157°	7.6	5	4	3	2	1	
	3100	2270	1960	1640	1320	1000	




16		Cat 1 1)				Circling E of RWY only	Circling Total Area
C	ft - m/km ft	200 - 550 840				600 - 2.4V 1240	1260 - 2.4V 1890
D	ft - m/km ft	200 - 550 840				700 - 3.6V 1340	1590 - 3.6V 2220

1) FD, AP or HGS required, else RVR 750m


MXE-ESKM

7-20

LOC 16



3.50°	6.5	5	4	3	2	1	83.0°	60 HL
RW16	3100	2540	2170	1800	1430	1060	16	1814 x 45
RWY 157°							HL-P1	THR 631 (23hPa) / TDZ 635 (---%) -0.2%




16	LOC				Circling E of RWY only	Circling Total Area
C	ft - m/km ft	340 - 800 970			600 - 2.4V 1240	1260 - 2.4V 1890
D	ft - m/km ft	340 - 800 970			700 - 3.6V 1340	1590 - 3.6V 2220


MXE-ESKM

7-30

NDB 16



3.30°	6.6	6	5	4	3	2	16	83.0°	60 HL
RW16									
158°	3000	2790	2440	2090	1740	1390		1814 x 45	
RWY 157°							HL-P1	THR 631 (23hPa) / TDZ 635 (---%)	-0.2%



16	NDB					Circling E of RWY only	Circling Total Area
C	ft - m/km ft	410 - 1.2 1040				600 - 2.4V 1240	1260 - 2.4V 1890
D	ft - m/km ft	410 - 1.2 1040				700 - 3.6V 1340	1590 - 3.6V 2220