

GENERAL**Operational Hours****ATS Hours:** ATC service not AVBL**AD OPS Hours:** Not published**Airport Information****RFF:** O/R**PCN:** O/R**Operation****Traffic Note**

AD assessed for ACFT wingspan below 36m / 118ft.

Aerodrome Level of Service

RWY 17/35: 2600R/0.5V

Warnings

Numerous towers and cranes SW AD.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

MAX IAS 250KT below 3000ft AGL within 10NM of AD.

Communication**COM Failure:** See CRAR Canada.**Arrival Procedure****VFR Traffic Pattern:** RWY 17 right-hand circuit.**DEPARTURE****Take-off Minima**

RWY		17	
All ACFT	ft - ft/SM	0 - 0.5v	MNM climb gradient 3.8% up to 1500 BPOC
RWY		35	
All ACFT	ft - ft/SM	0 - 0.5v	MNM climb gradient 4.2% up to 1300 BPOC

Communication**COM Failure:** See CRAR Canada.

HZP-CYNR


2-10

AFC

AFC


AFC


AFC



AWOS	122.550
Edmonton Center	134.025 DUV and IFR FLT Plan closing
ATF	123.500 up to 3500 ASL
UNICOM	122.700
ARCAL	122.700 ARCAL-K
Edmonton RDO	123.550 FIS 126.700 BCST

Landing RWY system:





05-OCT-2017

SID

SID


NIL

TAGIT 2 RNAV

HZP-CYNR

4-10

TAGIT 2 RNAV



Changes: MSA, ALT, Note

05-OCT-2017

HZP-CYNR

5-10

TAGIT 2 RNAV

SIDPT

TAGIT 2

RWYs 17 (173°) / 35 (353°)

	GS	120	150	180	210	240	270
4.1%	ft/MIN	500	700	800	900	1000	1200

DESIGNATOR	ROUTING	ALTITUDES
TAGIT 2 134.025		TAGIT at 5000
RWY 17 ①②	<u>OBNAV</u> [R] - TAGIT [K210-]	
RWY 35 4.1% to 1300 ②	[A2100+ ; K210- ; L] - TAGIT [K210-]	

① Trees 996ft ASL APRX 0.2 NM from DER, 689ft right of centerline.

② Do not exceed 210KT until 5000 ASL or above.

DEPARTURES

	GS	120	150	180	210	240	270
3.8%	ft/MIN	500	600	700	900	1000	1100
4.1%	ft/MIN	500	700	800	900	1000	1200

RWY

Routing

RWY 17 DEP

With MNM climb gradient 3.8% (230ft/NM) to **1500** BPOC, or in visual conditions: cross CYNR MNM **1700** (CAT C), **1800** (CAT D).

RWY 35 DEP

With MNM climb gradient 4.1% (250ft/NM) to **1300** BPOC, or in visual conditions: cross CYNR MNM **1700** (CAT C), **1800** (CAT D).

RWY

Notes

17

Trees to 993ft ASL APRX 0.2 NM from DER, 600ft right of centerline.


35

Trees to 991ft ASL ABM DER, 600ft left of centerline.


HZP-CYNR

7-10

RNAV (GNSS) 17



3.00°	7.7	6	5	4	3	2		PAPI for EWH <26ft	83.0°	60 HL
RW17							17		1829 x 46	
	3400	2880	2560	2240	1920	1600				
	THR 911 (33hPa) / TDZ 915 (---%)								0.0%	



TERPS		17	RNAV GNSS LPV	RNAV GNSS LPV JHL QNH 1)	RNAV GNSS LNAV	RNAV GNSS LNAV JHL QNH 1)	Circling 2)	Circling 1) 2)
							TERPS	TERPS
C	ft - ft/SM ft		250 - 1.0V 1170	300 - 1.0V 1220	590 - 1.75V 1500	640 - 1.75V 1550	610 - 2.0V 1520	660 - 2.0V 1570
D	ft - ft/SM ft		250 - 1.0V 1170	300 - 1.0V 1220	590 - 1.75V 1500	640 - 1.75V 1550	700 - 2.25V 1620	700 - 2.25V 1620

1) Use with Fort Mackay/Albian (CAL4) QNH


2) E of RWY only

Changes: MSA, PROC, MIN, Profile, MISAP text

HZP-CYNR

7-20

RNAV (GNSS) 35



Changes: Completely revised