

01-FEB-2018

KAD-DNKA

1-10

A0I**A0I****GENERAL****Operational Hours****ATS Hours / AD ADMIN Hours:** 0600-2000**Airport Information**

RFF: CAT 9
LCN: RWY 05/23: 100
Customs: AVBL during Hajj

Operation**RWY Restriction**

RWY in use: As instructed by ATC.

Taxi/Parking

Taxiing guidance system and marshalls AVBL.

Blast pads 120m / 394ft at both RWY ends.

Warnings

Birds in vicinity of AD.

ARRIVAL**Arrival Procedure****Non-standard GP Intercept Position on RWY 05**GP intercept RWY 05 at *306m / 1004ft* after landing threshold.Remaining LDG DIST beyond GP is *2694m / 8839ft*.**DEPARTURE****Take-off Minima**

RWY		05/23	
All ACFT	ft - m/km	0 - 500V	HJ only

17-AUG-2017
KAD-DNKA

2-10

Nigeria Kaduna New Kaduna


AGC
AFC

AFC

AFC

New Kaduna Kaduna Nigeria

AGC
AFC



APP

118.800

TWR

118.800

GND

121.700

Landing RWY system:

PAPI angle not AVBL

05

L-P1

THR 2036 (72hPa) / TDZ --- (---%) +0.3%

PAPI angle not AVBL

60 x 3000

-0.3% TDZ --- (---%) / THR 2070 (73hPa)

23

L-S

Changes: APL, FREQ, OBST, HLDG, AWY

17-AUG-2017
KAD-DNKA

Nigeria **Kaduna** New Kaduna


AGC

AGC

AGC

New Kaduna **Kaduna** Nigeria

AGC




Changes: FREQ

17-AUG-2017

KAD-DNKA

7-10

ILS DME + VOR 05




Changes: MIN, APL, FREQ, ALT, OBST

17-AUG-2017


KAD-DNKA

7-30

RNAV (GNSS) 05



3.00° RW05	9.2	8	5	4	3	2	PAPI angle not AVBL	
	5000	4640	3680	3360	3050	2730	05	
							L-P1	
							THR 2036 (72hPa) / TDZ --- (---%) +0.3%	




05		RNAV GNSS				Circling
		LNAV				HJ only
		HJ only				
C	ft - m/km	340 - 1.3				Not published
	ft	2370				
D	ft - m/km	340 - 1.3				Not published
	ft	2370				

17-AUG-2017


KAD-DNKA

7-40

RNAV (GNSS) 23



PAPI angle not AVBL




23

2	3	5	7	8	9	3.00°
2760	3080	3720	4350	4670	5000	RW23

KA700 - DIGNI [R] -
VOPVO [K200- ;A5000+]

RT direct KA700 -
DIGNI - VOPVO (MAX 200KT)
climb 5000


GS	120	140	160
KA500	640	740	850
-MAPt	NA	NA	NA



23	RNAV GNSS					Circling
	LNAV					HJ only
	HJ only					
C	ft - m/km	420 - 1.7				Not published
	ft	2490				
D	ft - m/km	420 - 1.7				Not published
	ft	2490				

Changes: MIN, APL, FREQ, OBST

VOR DME 05



05		VOR DME HJ only	VOR DME APL U/S HJ only				Circling HJ only
C	ft - m/km ft	450 - 2.0V 2480	450 - 2.8V 2480				930 - 4.4V 3000
D	ft - m/km ft	450 - 2.4V 2480	450 - 3.2V 2480				930 - 4.4V 3000 ¹⁾


© Lido 2017

17-AUG-2017

KAD-DNKA

7-60

VOR DME 23



Changes: MIN, ALT, APL, FREQ, OBST