

GENERAL**Operational Hours****ATS Hours:** 0300-1500 and O/R by deposit FPL before 1200**AD ADMIN Hours:** Not published**Airport Information****RFF:** CAT 5**PCN:** RWY 04/22: 66/F/A/X/T**Customs:** Not published.**Operation****RWY Restriction**

After LDG, the use of the turning pads at both ends of RWY is mandatory for ACFT weighing more than DHC6.

TWY Restriction

TWY width 15m / 49ft.

ARRIVAL**Speed**

MAX IAS 250KT below FL100 not applied, except HLDG speed MAX IAS 230KT.

DEPARTURE**Take-off Minima**

RWY		04/22	
All ACFT	ft - m/km	0 - 400V	HJ only
		0 - 800V	HN

Speed

MAX IAS 250KT below FL100 not applied.

30-NOV-2017
TLE-FMST

Madagascar Toliary


AGC
AFC

AFC

AFC

Toliary Madagascar

AGC
AFC



RDO 118.600 0300-1500

Landing RWY system:

04

83.0° 60 ML
2000 x 30

THR 21 (1hPa) / TDZ --- (---%)	+0.1%
---------------------------------------	-------

60 ML

30 x 2000
3.0°

-0.1% TDZ --- (---%) / **THR 29** (1hPa)

22

TRL ATC
TA 3500

30-NOV-2017
TLE-FMST

Madagascar Toliary
AGC

AGC

AGC

Toliary Madagascar
AGC

3-20

E043°43'

E043°44'

RDO 118.600 0300-1500

22
223°
29

2000 X 30

TOLIARY
367 VSQ

115

APRON

TOLIARY
D 114.5 TU

11

04
043°
21

ARP
S23 23.4
E043 43.5

VAR 20° W
MAG UP
AD ELEV 30

29

m 0 500 1000
ft 0 1000 2000 3000

Changes: TWY


01-FEB-2018
TLE-FMST

Madagascar Toliary


IAC

7-10

NDB 04



3.00°	6.1	6	5	4	3	2	04	83.0°	60 ML
RW04	2000	1980	1660	1340	1030	710		2000 x 30	
RWY 043°								THR 21 (1hPa) / TDZ --- (---%)	+0.1%



04	NDB					Circling
C	ft - m/km ft	510 - 2.4 530				960 - 2.4V 980
D	ft - m/km ft	510 - 2.4 530				1130 - 3.6V 1150

Changes: ROD


01-FEB-2018
TLE-FMST

Madagascar Toliary

IAC

7-20


NDB 22



60 ML
30 x 2000
3.0°
-0.1% TDZ --- (---%) / THR 29 (1hPa)

22

2	3	4	5	5.7	3.00°
720	1050	1370	1680	1900	RW22 225° RWY 223°



22	NDB					Circling
C	ft - m/km ft	390 - 2.0 410				960 - 2.4V 980
D	ft - m/km ft	390 - 2.0 410				1130 - 3.6V 1150

Changes: HLDG