

**GENERAL****Operational Hours**

**ATS Hours:** Not AVBL

**AD Hours**

Public use:

Summer: MON-FRI 0630 -1630, except Aragon public HOL

Winter: MON-FRI 0800 -1600, except Aragon public HOL

Restricted use:

Summer: MON-FRI, SR 0630 and 1630 SS, except Aragon public HOL

Winter: MON-FRI, SR 0800 and 1600 SS, except Aragon public HOL

Other times O/R 24HR PPR

AD AVBL on SAT, SUN, HOL and at night with 24HR PN

**Airport Information**

**RFF:** CAT 5, As AD Hours

**Fuel:** As AD Hours.

**PCN:** RWY 18/36: 52/F/A/W/T

**Customs:** As AD Hours, PPR 48HR.

**Operation****Traffic Notes**

VFR FLTs allowed only.

Passenger commercial air transport operations not accepted.

**Low Visibility Procedure**

LVP not AVBL at AD.

**APU**

Use of APU restricted to 2min after on-block and 5min before off-block time.

Exceptions:

- if stand is not equipped with AC power (400Hz) and mobile GPU not AVBL.
- if air condition is required and no ACU AVBL.

**Warnings**

WX INFO generated automatically. VIS, present WX, cloud amount and height of cloud base INFO should be treated with caution.

**ARRIVAL****Communication**

None from AD aeronautical station will respond or confirm receipt of communications.

Maintain in A/A FREQ. Entry in ATZ via established routes to join AD TFC circuit, communicating PSN at points N, W and E.

Notify when entry on air TFC circuit, on down wind segment and on final.

**COM Failure**

Access airfield from routes W or E, maintaining 1500ft AGL MAX. Hold at west or east of RWY, without crossing, separating the possible AD TFC. Then join AD TFC circuit.

**Arrival Procedure**

**VFR Traffic Pattern:** RWY 18 right-hand circuit, 1000ft AGL.

**DEPARTURE****Take-off Minima**

RWY		18/36	
All ACFT	ft - m/km	VFR	-

**Communication**

Notify in A/A FREQ intentions of leaving ATZ, informing of DEP route and reporting point to be used.

**De-icing**

| AVBL AD OPS Hours



