

**GENERAL****Operational Hours****ATS Hours:** MON-FRI 0430-1800, SAT and SUN 0430-1600.**AD ADMIN Hours:** MON-FRI 0600-1430.**Airport Information****RFF:** CAT 6**Fuel:** 0500-1600, other times O/R**PCN:** RWY 13/31: 40/F/A/X/U, RWY 02/20: 21/F/C/Y/U**Customs:** 0400-1600, other times AVBL after HR PNR to ARR/DEP.**Operation****Taxi/Parking**

Heavy ACFT shall not back track after landing RWY 13.

Heavy ACFT shall not make a 180° turn on APN when taxiing out, but shall exit via the TWY link ahead into Main TWY.

Medium ACFT intending to execute 180° turn on APN shall use MNM PWR until completing the turn.

Heavy ACFT landing RWY 13 shall vacate RWY via TWY link 31B or TWY 31 at the end of RWY.

ACFT taxiing in/out RWY 13 shall request permission to cross RWY 02 during daylight hours.

**Warnings**

Parking bays B and C not visible to ATC.

Birds in vicinity of AD.

**Arrival Procedure****VFR Traffic Pattern:** RWY 20 right hand circuit.**ARRIVAL****Speed**

MAX IAS 250KT below FL100 within airspace classes D and G.

**Communication**

ACFT requiring refuelling are to advise TWR before landing.

**DEPARTURE****Take-off Minima**

RWY		13/31	
All ACFT	ft - m/km	0 - 400V	HJ only
		0 - 800V	HN
RWY		02/20	
All ACFT	ft - m/km	0 - 500V	HJ only


**Speed**

MAX IAS 250KT below FL100 within airspace classes D and G.


J M Nkomo **Bulawayo** Zimbabwe




**AFC**



<b>Nkomo APP</b>	119,700	MON-FRI: 04:30-1800, SAT-SUN: 04:30-1600
<b>Nkomo TWR</b>	118,300	MON-FRI: 04:30-1800, SAT-SUN: 04:30-1600




Nkomo TWR 118.300 MON-FRI: 0430-1800, SAT-SUN: 0430-1600



RWY	TORA	ASDA	TODA
13	2588	2655	2858
31	2588	2588	3380

VAR 10° W  
MAG UP  
AD ELEV 4366




J.M NKOMO  
D 115.7 VBU


BUQ-FVJN

7-10

ILS + NDB 13



LOC 3.00°	4.4	4	3	2	1	13	83.0°	60 HL
RW13	5800	5680	5360	5040	4720	HL-P1	THR 4351 (147hPa) / TDZ --- (---%) +0.1%	PAPI PSN unknown



13	Cat 1 <sub>1)</sub>	LOC				Circling
C	ft - m/km ft	200 - 550 4560	290 - 750 4650			690 - 2.4V 5050
D	ft - m/km ft	200 - 550 4560	290 - 750 4650			700 - 3.6V 5070 <sub>2)</sub>

1) FD, AP or HGS required, else RVR 750m


2) N of RWY 13/31 only

Changes: AD Code


**BUQ-FVJN**

7-20

## VOR + NDB 13



3.00°				4.9	4	3	<div> <div> <div>13</div> <div>HL-P1</div> </div> <div> <div>3.0°</div> <div>60 HL</div> </div> <div> <div>2588 x 45</div> <div>PAPI PSN unknown</div> </div> <div> <div>THR 4351 (147hPa) / TDZ</div> <div>--- (---%) +0.1%</div> </div> </div>
D VBU							
126°							
RWY 127°				5400	5110	4790	



<b>13</b>		<b>VOR NDB</b>				<b>Circling</b>
C	ft - m/km ft	300 - 750 <b>4660</b>				Not published
D	ft - m/km ft	300 - 750 <b>4660</b>				Not published