GENERAL

Operational Hours

ATS Hours: HJ, other times PPR

AD ADMIN Hours: HJ

Airport Information

RFF: CAT 6
PCN: RWY 11/29: 32/F/C/X/T
Customs: Not AVBL

Warnings

JAM VOR unusable beyond D20:
- R030-R100 below 7000ft.
- R100-R130 below 7500ft.
- R130-R150 below 8000ft.
- R150-R240 below 7500ft.
- R240-R320 below 7000ft.
- R320-R350 below 7500ft.
- R350-R030 below 8000ft.

Strolling animal on movement area

Birds in vicinity of AD.

DEPARTURE

Take-off Minima

RWY		11/29	
All ACFT	ft - m/km	0 - 400v	HJ only
		0 - 800v	HN

Departure Procedure

Start-up: Clearance should be REQ 5-10min prior to start-up.

De-Icing

Not AVBL.

© Lido 2016



Info 124.350 HJ
121.650 HJ

Landing RWY system:

11
3.3°
60 ML
2405 x 45
THR 2099 (74hPa) / TDZ 2099 (---%) +0.9%

60 ML
45 x 2405
29
-0.9% TDZ 2172 (---%) / **THR 2172** (77hPa)

Changes: Nil

© Lido 2016



RWY	TORA	ASDA	TODA
11	2405	2555	2405
29	2405	2555	2405

© Lido 2016

Changes: APN, TWY , Note, RWY ELEV, TWR, WDI, BLDG

Iran **Jam**
NIL
KATAG 1A
SID

SID
Jam Iran
NIL
KATAG 1A



© Lido 2016

Changes: new

KATAG 1A

RWY 29 (293°)

	GS	120	150	180	210	240	270
4.6%	ft/MIN	600	700	900	1000	1200	1300

DESIGNATOR	ROUTING	ALTITUDES
	Runway 29	
KATAG 1A 4.6% **124.350** **121.650**	intercept R301 **JAM** - at **5500 RT** intercept R355 **JAM** to KATAG	

© **Lido** 2016

Changes: New



Iran **Jam**
KATAG 1C
KATAG 1A

STAR

STAR

Jam Iran
KATAG 1C
KATAG 1A

© Lido 2016


5813
5500
5000
4000
3000
E052°10'
E052°20'
5813
Info 124.350 121.650
KATAG
N28 23.8
E052 18.7
175°
49
70
67
4025
3254
30 JAM NDB
FL95 5000
KATAG 1C
15
3251
3362
50
43
3982
360°
54
25 JAM NDB
N28°10'
10 NM
D19 JAM
8
6
3503
4
3221
2
N28°00'
0
69
10 JAM NDB
7500 5300
19
4583
3802
JAM
385 JAM
N27 49.4 E052 20.4
356°
75
VAR 2° E
MAG UP
270°
Jam
R18
JAM
D 116.8 JAM
N27 49.3 E052 20.6
AD ELEV 2172
4606
TRL 100
TA 8000

© Lido 2016

30-JUN-2016

TEW-OIBJ

7-10

VOR DME 11



3.65° D JAM 121° RWY 113°				7.5	5	3
				5000	4020	3240

11

3.3° 60 ML

2405 x 45

THR 2099 (74hPa) / TDZ 2099 (---%) +0.9%

D8 JAM **D7.5** D6 D4 D2 **JAM**



LT intercept R085 **JAM** at **5000**
LT to D17 **JAM** climb **7500**

GS	120	140	160
D4 JAM -MAPt	*780* *1:00*	*900* *0:51*	*1030* *0:45*

11		VOR DME					Circling N of AD only[1]
C	ft - m/km ft	710 - 3.3 **2800**					1770 - 3.3V **3940**
D	ft - m/km ft	710 - 3.3 **2800**					2010 - 3.6V **4180**

1) To RWY 29 HJ only

Changes: new

© Lido 2016

30-JUN-2016

TEW-OIBJ

7-20

NDB Circling







11							Circling NDB
C	ft - m/km ft						2430 - 2.4V **4600**
D	ft - m/km ft						2430 - 3.6V **4600** 1)

1) N of AD only

Changes: new

© Lido 2016