

**GENERAL****Operational Hours****ATS Hours**

SR-SS, other times PPR 12HR.

**AD ADMIN Hours**

MON-FRI 0830-1630‡

Ramadan 0900-1430‡

Permanence H24

**Airport Information****RFF:** CAT 7**PCN:** RWY 16/34: 53/F/B/W/T**Customs:** H24**Operation****RWY Restriction**

180° turn for ACFT with a MAX landing weight above 40t / 88185lbs at RWY end only.

**Warnings**

Birds in vicinity of AD.

**ARRIVAL****Communication****COM Failure**

In case of no Radio contact, performing standard RWY circuit pattern obligatory before LDG.


**DEPARTURE****Take-off Minima**


RWY		16	
All ACFT	ft - m/km	0 - 400R/400V	HJ only
		0 - 800R/800V	HN
RWY		34	
All ACFT	ft - m/km	0 - 400v	HJ only
		0 - 800v	HN

Modador Intl **Essaouira** Morocco



AGC  
AFC






## ESU-GMMI

7-10

## RNAV (GNSS) 16



3.00° <b>MI506</b> <b>162°</b> RWY 161°	5.3	5	4	3	2	1	16	2607 x 45	60 ML	THR 335 (12hPa) / <b>TDZ 344</b> (---%) +1.0%
	2400	2300	1980	1660	1340	1030				
	D11.9 ESS 10.4 MI506 <b>MI502</b>	D6.9 5.4 <b>MI504</b> at 2400	D4.5 3	D1.5 <b>MI506</b>	162° at MNM 1000 RT (MAX 185KT) direct MI708 (MNM 2500) - POGIK climb 3400					
MI506 N31 25.5 W009 41.7		1200	MDA							
DIST to THR	10	6.4	5	4	3	2	1	0		
<b>16</b>	<b>RNAV GNSS</b> LNAV									<b>Circling</b>
C	ft - m/km ft	440 - 2.0 <b>780</b>								Not published
D	ft - m/km ft	440 - 2.0 <b>780</b>								Not published


06-SEP-2018

IAC

ESU-GMMI

7-30

VOR Z 16



3.00° <b>D ESS</b> <b>167°</b> RWY 161°	6.8	6	5	4	3	2	(16)	2607 x 45	60 ML
	2400	2140	1820	1500	1180	860		THR 335 (12hPa) / <b>TDZ 344</b> (---%)	+1.0%
	D7 ESS <b>D6.8</b>						D4.5	D1.5	ESS
	2400						1660		
	1200						MDA		
	DIST TO THR						5	4	0
<b>16</b>	<b>VOR DME</b>								<b>Circling</b>
C	ft - m/km ft	440 - 2.0 <b>780</b>							Not published
D	ft - m/km ft	440 - 2.0 <b>780</b>							Not published

Changes: Completely revised

**06-SEP-2018**


Morocco **Essaouira** Mogador Intl

# IAC

# ESU-GMMI

**7-40**

### VOR A 34 Circling with prescribed tracks



## VISUAL

60 ML . . . . .

45 x 2607

3.0°

-1.0% TDZ 410 (---%) / **THR 420** (15hPa)

34

<b>34</b>						<b>Circling P-TRK</b>	<b>Circling</b>
C	ft - m/km ft					1150 - 3.7V <b>1570</b>	Not published
D	ft - m/km ft					1470 - 4.6V <b>1890</b>	Not published

Changes: new