

GENERAL**Operational Hours****ATS Hours:** O/R**AD ADMIN Hours:** SAT-WED 0400-1200 \pm , except HOL**Airport Information****RFF:** CAT 5, CAT 7 AVBL for SKED flights and NON-SKED flights with PPR 48HR before EOBT.**PCN:** RWY 12/30: 50/F/B/X/T.**Operation****Traffic Note**

PPR at least 48HR prior to DEP from Mehrabad AD.

RWY Restriction

180°-turns authorized on RWY end only.

Warnings**ZAJ VOR/DME** unusable at 20NM:

R020-R270 below 9000ft.

R270-R140 below 10000ft.

R140-R090 below 8000ft.

R090-R020 below 13000ft.

Strolling animals observed on movement area.

Intensive birds accumulation in vicinity of AD.

ARRIVAL**Arrival Procedure****VFR Traffic Pattern**

- For heavy ACFT 7000ft.
- For other ACFT 6500ft.

DEPARTURE**Take-off Minima**

RWY		12/30	
All ACFT	ft - m/km	0 - 400V	HJ only
		0 - 800V	HN

Departure Procedure**Start-up:** Clearance should be REQ 5-10min prior to start-up.**De-Icing**

O/R

14-JUN-2018
JWN-OITZ

Iran Zanzan

AGC

AFC


AFC

AFC

Zanjan Iran

AGC

AFC



Info	122.950 0/R	121.750 0/R
------	-------------	-------------

Landing RWY system:

12  3200 x 45 3.3° 60 HL
THR 5308 (177hPa) / TDZ --- (---%) +0.7%

60 HL 45 x 3200 360
3.6°
-0.7% TDZ --- (---%) / THR 5380 (179hPa) HL-N

Changes: APL, VAR, AD ELEV

14-JUN-2018
JWN-OITZ


3-20

Iran Zanzan
AGC

AGC

AGC

Zanzan Iran
AGC



Changes: Completely revised

14-JUN-2018
JWN-OITZ

4-10

Iran Zanzan

NIL

SIDs


SID

SID

Zanzan Iran

NIL

SIDs



Changes: Completely revised

LOXUB 1A / SUTBU 1A / SUTBU 1B / TULGU 1A / TULGU 1B

RWYs 12 (122°) / 30 (302°)

	GS	120	150	180	210	240	270
4.2%	ft/MIN	600	700	800	900	1100	1200
5.0%	ft/MIN	700	800	1000	1100	1300	1400
5.1%	ft/MIN	700	800	1000	1100	1300	1400
6.2%	ft/MIN	800	1000	1200	1400	1600	1700

DESIGNATOR	ROUTING	ALTITUDES
	Runway 12	
SUTBU 1B 5.1% 122.950	LT intercept R118 ZAJ to SUTBU	
TULGU 1B 5.1% 122.950	RT intercept R133 ZAJ to TULGU	
	Runway 30	
LOXUB 1A 5.0% to ZAJ 6.2% after ZAJ 122.950	RT intercept R320 ZAJ - at MNM 7000 LT intercept R280 ZAJ to ZAJ - R110 ZAJ to LOXUB	ZAJ MNM 8700
SUTBU 1A 5.0% to ZAJ 122.950	RT intercept R320 ZAJ - at MNM 7000 LT intercept R280 ZAJ to ZAJ - R118 ZAJ to SUTBU	ZAJ MNM 8700
TULGU 1A 4.2% after ZAJ 122.950	RT intercept R320 ZAJ - at MNM 7000 LT intercept R280 ZAJ to ZAJ - R133 ZAJ to TULGU	ZAJ MNM 8700

14-JUN-2018
JWN-OITZ


6-10

Iran Zanzan
[NIL]
STARs


STAR

STAR


Zanzan Iran
[NIL]
STARs



Changes: Completely revised





D ZAJ	6	5	4	3	2	(12)		8.3° 3200 x 45	60 HL
116°									
RWY 122°	7300	6960	6620	6270	5930			THR 5308 (177kPa) / TDZ --- (---%) +0.7%	





12		VOR DME GA 4.8%				Circling 1)
C	ft - m/km ft	510 - 2.4V 5810				1130 - 4.8V 6510
D	ft - m/km ft	510 - 2.8V 5810				1130 - 4.8V 6510

1) BTN R120 and R360 clockwise only

Changes: MIN, APL, VAR, QFU, AD ELEV







© Lido 2018