

GENERAL**Operational Hours****ATS Hours / AD ADMIN Hours:** 0600-2000**Airport Information**

RFF: CAT 7
LCN: RWY 05/23: 90
Customs: AVBL during Hajj

Operation**Taxi/Parking**

Taxiing guidance system and marshalls AVBL.

Blast pads 120m / 394ft at both RWY ends.

Warnings

Birds in vicinity of AD.

DEPARTURE**Take-off Minima**

RWY		05/23	
All ACFT	ft - m/km	0 - 500V	HJ only

ILR-DNIL


2-10

AFC

AFC

AFC

AFC



© Lido 2017

17-AUG-2017
ILR-DNIL

Nigeria Ilorin
AGC

AGC

AGC

Ilorin Nigeria
AGC

3-20

TWR 119.600 0600-2200
121.700 0600-2200 GND

E004°29'

E004°30'

23

231°
1097

N08°26.5'

ARP
N 08 26.4
E 004 29.6

CARGO APRON

CARGO

OLD FIRE STATION

OLD CONTROL TWR

OLD TERMINAL
1246

NEW CONTROL TWR

NEW FIRE STATION

NEW TERMINAL

APRON

NAF APRON

NAF HANGAR

MAINTENANCE

3100 x 60

VAR 2° W
MAG UP

AD ELEV 1126

05

051°
1120



Changes: FREQ


DEPARTURES	
RWY	Routing
05	RWY HDG - at 2500 RT on course
23	RWY HDG - at 2500 LT on course

17-AUG-2017

ILR-DNIL

7-10


ILS + VOR DME 05



Changes: APL, FREQ, Editorial

RNAV (GNSS) 05






PAPI angle not AVBL							3.00°
60 x 3100						7.4	RW23
+0.2% TDZ --- (---) / THR 1097 (39hPa)	1790	2110	2420	2740	3060	3500	



IL700 - SIBES [K200- ;A2500+ ;R] RW23
NUMEM [A3500+]

RT direct IL700
SIBES (MAX 200KT - MNM 2500)
NUMEM
climb 3500

GS	120	140	160
5.8 RW23	640	740	850
-MAPt	NA	NA	NA



23		RNAV GNSS LNAV				Circling
C	ft - m/km ft	420 - 1.2 1510				Not published
D	ft - m/km ft	420 - 1.2 1510				Not published

[illegible]

05		VOR DME	VOR DME APL U/S				Circling
C	ft - m/km ft	520 - 2.0V 1640					760 - 4.4V 1880
D	ft - m/km ft	520 - 2.4V 1640	520 - 2.8V 1640				930 - 4.4V 2050

17-AUG-2017


ILR-DNIL

7-60

Nigeria Ilorin

VOR DME 23

IAC



Changes: APL, FREQ, Navaid IL, Editorial