

25-SEP-2014

RIY-OYRN

1-10

A0I**A0I****GENERAL****ATS Hours**

H24

Airport Information**RFF:** CAT 8**PCN:** RWY 06/24: 60/F/B/W/U**Operation****Taxi/Parking**

Follow-me O/R.

ARRIVAL**Speed**

MAX IAS 250KT below 13000ft MSL.

MAX IAS 200KT within AD circuit

Arrival Procedure**VFR Traffic Pattern:** RWY 06 right-hand circuit.**DEPARTURE****Take-off Minima**

RWY		06/24	
All ACFT	ft - m/km	0 - 400V	-

Speed

MAX IAS 250KT below 13000ft MSL.

MAX IAS 200KT within AD circuit

ATC Slot, Clearance**Start-up**

Contact TWR before strating up to request CLR from Sana'a ACC.

24-SEP-2015
RIY-OYRN


Yemen **Mukalla** Mukalla Intl

AGC
AFC

Mukalla Intl **Mukalla** Yemen


AGC
AFC

2-10



TWR 118.300
GND 121.900

Landing RWY system:



24-SEP-2015
RIY-OYRN

Yemen **Mukalla** Mukalla Intl

AGC


AGC

AGC

Mukalla Intl **Mukalla** Yemen

AGC

3-20






Changes: Reprint

24-SEP-2015

RIY-OYRN

7-10

VOR DME 24



24	VOR	VOR APL U/S	Circling S of AD only
C	ft - m/km ft	960 - 4.4V 1000	960 - 4.8V 1000
D	ft - m/km ft	960 - 4.8V 1000	960 - 4.8V 1000

Changes: APL, MIN