

GENERAL**Operational Hours****ATS Hours:** ATC service not AVBL, use CTAF**AD OPS Hours:** Attended dawn-dusk**Airport Information****RFF:** Not published**Fuel:** Jet A**PCN:** O/R**Operation****Traffic Note**

Activate RWY and APCH lights by CTAF.

Warnings**PGO VOR** unusable:

R030-R040

R050-R075 below 4000ft

R090-R145

R170-R200

R340-R345 below 5000ft

Birds and deer on and in vicinity of AD.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR United States.**DEPARTURE****Take-off Minima**

RWY		09	
1+2 ENG	ft - ft/SM	0 - 1.0V	MNM climb gradient 4.7% up to 3500
3+4 ENG		0 - 0.5V	
All ACFT		c1300 - 2.5v	climb in visual conditions
D		Not applicable	-
RWY		27	
1+2 ENG	ft - ft/SM	0 - 1.0V	MNM climb gradient 6.8% up to 3500
3+4 ENG		0 - 0.5V	
All ACFT		c1300 - 2.5v	climb in visual conditions
D		Not applicable	-

DEPARTURE

Speed

MAX IAS 250KT below 10000ft.

Communication

COM Failure: See CRAR United States.

12-OCT-2017
UMZ-KMEZ

United States Mena Mena Intermountain Muni

AGC
AFC

AFC

AFC


Mena Intermountain Muni Mena United States

AGC
AFC



AWOS-3	118.025
Memphis Center	126.100
CTAF	122.800 ARCAL
Unicom	122.800

Landing RWY system:



Changes: RWY width, SUAs, THR ELEV

12-OCT-2017
UMZ-KMEZ

United States Mena Mena Intermountain Muni

AGC


AGC

AGC

Mena Intermountain Muni Mena United States

AGC

3-20



Changes: THR ELEV, RWY width

Obstacle Departure

	GS	120	150	180	210	240	270
4.7%	ft/MIN	600	800	900	1000	1200	1300
6.8%	ft/MIN	900	1100	1300	1500	1700	1900

RWY**Routing****09**4.7% to **3500**. For climb in visual conditions: cross KMEZ MNM **2300**.**27**6.8% to **3500**. For climb in visual conditions: cross KMEZ MNM **2300**.**RWY****Notes****27**




Trees 2.01NM from DER, on centerline, 100ft AGL/1759ft MSL.

UMZ-KMEZ

United States **Mena** Mena Intermountain Muni

7-10


ILS or LOC 27



27		Cat 1	LOC				Circling ¹⁾ TERPS
C	ft - ft/SM ft	400 - 1.5V 1470	600 - 2.0V 1660				980 - 3.0V 2060
D	ft - ft/SM ft	Not authorized	Not authorized				Not authorized

1) To RWY 17/35 HJ only

NDB 27



© Lido 2017